



RUHR

ECONOMIC PAPERS

Mark A. Andor
Andreas Gerster
Jörg Peters

Information Campaigns for Residential Energy Conservation

Imprint

Ruhr Economic Papers

Published by

RWI – Leibniz-Institut für Wirtschaftsforschung

Hohenzollernstr. 1-3, 45128 Essen, Germany

Ruhr-Universität Bochum (RUB), Department of Economics

Universitätsstr. 150, 44801 Bochum, Germany

Technische Universität Dortmund, Department of Economic and Social Sciences

Vogelpothsweg 87, 44227 Dortmund, Germany

Universität Duisburg-Essen, Department of Economics

Universitätsstr. 12, 45117 Essen, Germany

Editors

Prof. Dr. Thomas K. Bauer

RUB, Department of Economics, Empirical Economics

Phone: +49 (0) 234/3 22 83 41, e-mail: thomas.bauer@rub.de

Prof. Dr. Wolfgang Leininger

Technische Universität Dortmund, Department of Economic and Social Sciences

Economics – Microeconomics

Phone: +49 (0) 231/7 55-3297, e-mail: W.Leininger@tu-dortmund.de

Prof. Dr. Volker Clausen

University of Duisburg-Essen, Department of Economics

International Economics

Phone: +49 (0) 201/1 83-3655, e-mail: vclausen@vwl.uni-due.de

Prof. Dr. Ronald Bachmann, Prof. Dr. Manuel Frondel, Prof. Dr. Torsten Schmidt,

Prof. Dr. Ansgar Wübker

RWI, Phone: +49 (0) 201/81 49-213, e-mail: presse@rwi-essen.de

Editorial Office

Sabine Weiler

RWI, Phone: +49 (0) 201/81 49-213, e-mail: sabine.weiler@rwi-essen.de

Ruhr Economic Papers #871

Responsible Editor: Manuel Frondel

All rights reserved. Essen, Germany, 2020

ISSN 1864-4872 (online) – ISBN 978-3-96973-008-9

The working papers published in the series constitute work in progress circulated to stimulate discussion and critical comments. Views expressed represent exclusively the authors' own opinions and do not necessarily reflect those of the editors.

Ruhr Economic Papers #871

Mark A. Andor, Andreas Gerster, and Jörg Peters

**Information Campaigns for Residential
Energy Conservation**

Bibliografische Informationen der Deutschen Nationalbibliothek

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie;
detailed bibliographic data are available on the Internet at <http://dnb.dnb.de>

RWI is funded by the Federal Government and the federal state of North Rhine-Westphalia.

<http://dx.doi.org/10.4419/96973008>

ISSN 1864-4872 (online)

ISBN 978-3-96973-008-9

Mark A. Andor, Andreas Gerster, and Jörg Peters¹

Information Campaigns for Residential Energy Conservation

Abstract

This paper evaluates an intervention that randomized information letters about energy efficient investments and behaviors among 120,000 customers of two utilities in Germany. We find that conservation effects differ considerably between both utilities, ranging from a precisely estimated zero effect to 1.4%. By contrast, we do not detect significant framing effects from presenting savings in monetary or ecological terms. Based on random causal forest methods, we show that the effect heterogeneity across utilities cannot be explained by socio-demographic characteristics. Our results demonstrate the importance of site-specific factors for the effectiveness of information campaigns, which has crucial implications for targeting and the ability to infer population-wide effect sizes from pilot studies.

JEL-Code: D12, D83, L94, Q41

Keywords: Imperfect information; information letters; behavioral public economics; energy efficiency; energy conservation; non-price interventions; targeting

December 2020

¹ Mark A. Andor, RWI; Andreas Gerster, University of Mannheim; Jörg Peters, RWI and University of Passau. – We gratefully acknowledge financial support from the Stiftung Mercator. Furthermore, this work has been partly supported by the Deutsche Forschungsgemeinschaft (DFG, German Research Foundation) under CRC TR 224 and the Collaborative Research Center Statistical Modeling of Nonlinear Dynamic Processes (SFB 823), within Project A3, Dynamic Technology Modeling. We are grateful for valuable comments and suggestions by Nathan Fiala, Kenneth Gillingham, Lorenz Götte, Timo Goeschl, Katrina Jessoe, Andreas Lange, Andreas Löschel, Grischa Perino, and Mike Price, as well as participants at the 33rd Annual Congress of the European Economic Association, the 6th World Congress of Environmental and Resource Economists, the 1st RWI Empirical Environmental Economics Workshop, the ASSA 2020 Annual Meeting, the 2020 AERE Summer Conference, as well as seminars at Yale, Vrije Universiteit Amsterdam, University of Hamburg, University of Münster, and ZEW. We thank E.ON SE and WEMAG AG, in particular Melanie Lemke, Michael Paul, Kristina Rodig, and Sonja Sellnau, for their cooperation in implementing the study and Lukas Tomberg for excellent research assistance. A description of the pre-specification of the study can be found at the AEA RCT Registry ([AEARCTR-0006724](https://doi.org/10.2196/2020.0006724)). – All correspondence to: Mark A. Andor, RWI, Hohenzollernstr. 1-3, 45128 Essen, Germany, e-mail: mark.andor@rwi-essen.de

1 Introduction

Individuals are often not fully informed when making decisions (Stigler 1961). Information provision has been shown to affect individual decision-making in various contexts, including social-benefit take-up, agriculture, health, and water conservation (Bhargava and Manoli 2015, Duflo and Saez 2003, Ferraro and Price 2013, Hanna et al. 2014, Jalan and Somanathan 2008). A widespread policy tool used against imperfect information are campaigns that aim to improve households' decision-making by closing knowledge gaps. To reach ambitious energy conservation goals, for instance, many governments have implemented programs that inform consumers about effective energy-saving behaviors and investments, such as the *Energy Efficiency Awareness Program* in Canada, *Action for Warm Homes* in the United Kingdom, and *Energy Action at Home* in the United States. Information campaigns are appealing from a practical perspective as they do not rely on expensive technology. Yet, despite their widespread use, evidence on the effectiveness of large-scale campaigns is scarce and inconclusive.¹

This paper tests the impact of a letter-based information campaign about the savings potential of energy efficient behaviors and investments in a population of more than 120,000 households in Germany. In our randomized controlled trial (RCT), conducted with two utilities, households in our treatment groups received four information letters within one year. We test the effectiveness of different framings that are commonly employed in information campaigns on sustainable behavior. Specifically, we implement three treatment arms in which savings information is displayed in i) monetary terms, ii) in terms of carbon dioxide (CO₂) emission reductions, and iii) a combination of both. We estimate the treatment effect of our intervention on annual electricity consumption and investigate its persistence over two consecutive years. Furthermore, we explore treatment effect heterogeneity and test how machine learning algorithms for treatment effect prediction can be exploited for improving the cost-effectiveness of informational interventions through optimal targeting.

We refer to our intervention as an *information campaign* because it aims to improve households' knowledge about the consequences of their energy-related behaviors and investments.² Our letters contain energy saving tips that we selected in cooperation with the *Verbraucherzentrale NRW*, Germany's largest nonprofit organization for consumer protection, and the *En-*

¹In the context of energy conservation, studies on the impact of energy-saving information typically rely on small samples and find largely different effect sizes (−12 to 8% in Delmas et al. 2013 and −17 to 5% in Buckley 2020).

²This distinguishes our intervention from behavioral interventions, such as social comparisons (e.g., Allcott 2011, Jaime Torres and Carlsson 2018) and feedback (e.g., Tiefenbeck et al. 2013; 2018).

ergieagentur.NRW, a government-funded energy efficiency advocacy agency. To ensure that consumers understand and appreciate the campaign, we designed the letters with a marketing consultancy. We also hired a market research institute to conduct qualitative pretests on our letters before we started the field test. We varied the framing of the letters because the importance of framing effects has been emphasized by numerous contributions in the field of economic psychology (e.g., Kahneman and Tversky 1979, Tversky and Kahneman 1981, Levin et al. 1998). In our context, previous studies suggest that framing the saving potentials in monetary versus environmental terms could influence the effectiveness of energy conservation campaigns (Bolderdijk et al. 2013, Asensio and Delmas 2015).

We implemented our study in cooperation with two utilities; one large supra-regional utility (henceforth, SREG), with a customer base covering wide parts of both rural and urban Germany, and a smaller regional utility (henceforth, REG), that operates in the mostly rural north-eastern part of Germany. This setting allows us to test the effectiveness of an identical information campaign in two sample sites. Our study can be classified as a natural field experiment (Levitt and List 2009), as households were not informed about the study and no survey was implemented. We retrieved household level information including electricity consumption from the utilities' customer database and annual metering. In addition, we obtained data on households' electricity consumption for a full year after the intervention had ended, which allows us to estimate the persistence of treatment effects. We did not pre-register the experiment, but the analyses underlying our main results closely follow our experimental design, as discussed in Section 2.3. Once we probe into subgroups and use secondary data on households' socio-demographic characteristics, we transparently label these additional heterogeneity analyses as exploratory.

We find that the average treatment effect in the year of the treatment ranges from a precisely estimated zero effect for SREG customers (-0.06%) to -1.36% for REG customers, and attenuates by about 27% in the year after the treatment had ended. The effectiveness of the intervention is thus limited when applied to the entire population of residential electricity users, but differs significantly across utilities. By contrast, we do not detect statistically significant differences in the effect sizes of the different framings. Furthermore, we explore treatment effect heterogeneity across utilities based on comprehensive socio-demographic data. We find that customers with large baseline usage have larger treatment effects at REG, but not at SREG. To test whether observable covariates can explain the difference in treatment effects, we employ

a random causal forest machine learning algorithm developed by Wager and Athey (2018). These methods have been developed to capture even complex treatment effect heterogeneity patterns without being susceptible to data mining issues (e.g., Athey and Imbens 2016). Our results show that the differences in observable characteristics cannot explain the differences in treatment effects across utilities.

Our study contributes to the literature in four ways. First, it relates to studies that evaluate the effectiveness of information campaigns as a policy instrument. Despite the widespread use of such interventions, evidence on their effectiveness is, so far, inconclusive. For example, previous studies have shown that employees who have received letters about their expected pensions save more for retirement in Germany (Dolls et al. 2018), but not in the U.S. (Carter and Skimmyhorn 2018). In the context of water use, the effect of providing conservation tips varies widely across studies, from 1% (Ferraro and Price 2013) up to 2 to 5% (Goette et al. 2019, Tonke 2020). Even more drastically, studies on information provision to conserve energy have found effect sizes ranging from less than -10 to about 8% (see e.g. Buckley 2020, Delmas et al. 2013 and Appendix Table A1 for an overview).³ We contribute to this literature by implementing an RCT with more than 120,000 participants. The large sample size and hence our high statistical power enable us to detect even small conservation effects. Underpowered and non-experimental study designs have been identified as potential reasons for the highly heterogeneous findings from energy conservation interventions (e.g., Andor and Fels 2018, Delmas et al. 2013, Karlin et al. 2015). In addition, we evaluate our intervention in two sample sites and can thus test for site-specific effects. We find that treatment effects vary substantially across sites, which may explain some of the effect heterogeneity found in earlier studies.

Second, we contribute to a growing body of literature on the scalability and external validity of interventions (e.g., Al-Ubaydli et al. 2017a;b, Allcott 2015, Dehejia et al. 2019, Gechter 2016, Peters et al. 2018, Vivalt 2020). Previous research has shown that effect sizes often diminish when interventions are brought to scale for a variety of reasons, such as site and partner selection, differences in program implementation, and in the composition of pilot and target populations (Al-Ubaydli et al. 2017a;b, Allcott 2015). In our study, we find that effect sizes differ considerably across utilities although both utilities took part in our study at the same point in time, the information letters had exactly the same content, and program implemen-

³In addition, evidence from RCTs shows that seller-provided information about the fuel economy of cars and the energy efficiency of appliances does not affect purchase decisions (Allcott and Knittel 2017, Allcott and Sweeney 2017).

tation was almost indistinguishable for both utilities. Our finding that the effectiveness of information campaigns varies substantially across sample sites demonstrates the difficulty to generalize findings in that context (see, e.g., Vivalt 2020 for a discussion of the generalizability of impact evaluations more broadly). Furthermore, we use detailed socio-demographic data and a causal forest machine learning methodology developed by Wager and Athey (2018) to show that observable characteristics cannot explain effect heterogeneity across utilities. In our study, evidence from one site is virtually uninformative about the effectiveness at the other site. This evidence contrasts with earlier studies that have found that effect sizes in one site at least partially predict the effect sizes in other sites (e.g., Meager 2019, Allcott 2015) and supports the importance of “macro covariates” (Dehejia et al. 2019). It implies that it is particularly difficult to draw conclusions about the population-wide effects based on evidence from few, or even one, pilot studies in the context of information campaigns.

Third, we analyze the potential of targeting to increase the cost-effectiveness of large-scale interventions. In principle, targeting may be particularly important for information provision because some individuals engage less in a beneficial behavior after learning about lower-than-expected benefits (Byrne et al. 2018, Schultz et al. 2007, Wichman 2017). This rationale accords with studies in the context of social-comparison based reports that have found substantial welfare benefits from targeting (Allcott and Kessler 2019, Knittel and Stolper 2019). In contrast to these studies, we find that targeting plays only a limited role in the context of information campaigns. For REG, we detect that targeting households with a large baseline consumption would increase the cost-effectiveness of the intervention. However, this pattern does not extend to SREG, where we do not find any sizable effect heterogeneity. The fact that heterogeneity patterns differ across sites requires site-specific evidence from pilot studies in order to define targeting strategies, which may be difficult to obtain in practice.

Fourth, we contribute to the literature that has evaluated the effectiveness of behavioral interventions for resource conservation. Many interventions, such as social-comparison based home energy reports (HER), contain a multitude of elements, including a social comparison module, consumption feedback, and electricity-saving tips. We isolate the effectiveness of electricity-saving tips by evaluating information letters that only contain that element. In our study, the conservation effect reaches 1.4 percent for one utility. Hence, electricity-saving tips might partly explain the effect sizes of 0.5-3.3% (e.g., Allcott 2011; 2015) that have been found for HER interventions.

The paper is structured as follows. In the next section, we describe the experimental design and the data. In Section 3, we investigate the average conservation effect of the information campaign and explore treatment effect heterogeneity. Section 4 discusses the implications of our results for scalability and the optimal targeting of informational interventions. Section 5 concludes.

2 Treatment design, implementation and data

2.1 Design of information letters (IL)

A pivotal element of our study is the content of the information letters. In an intense preparatory phase, we cooperated with the two energy utilities that implemented the intervention, as well as with two energy efficiency advocacy agencies: *Verbraucherzentrale NRW*, Germany's largest non-profit organization for consumer protection, and *Energieagentur.NRW*, a governmental agency to promote energy efficiency. Furthermore, we hired the marketing consultancy *brandseven* to design the letters and the market research institute *Rheingold – Institute for Qualitative Market and Media Research* to conduct qualitative pre-tests of our letters.

In a first step, and in cooperation with experts from *Verbraucherzentrale NRW* and *Energieagentur.NRW*, we collected all possible tips for energy efficient investments and behaviors that may apply to typical German households from consumer protection agencies, product testing companies, and governmental agencies (for our sources, see, e.g., Appendix Table A2). We conducted a qualitative assessment of the tips based on five criteria that we evaluated using a three-point Likert scale. The criteria included the size of the potential energy savings that can be realized (*impact*), the share of the population that the tip applies to (*relevance*), the level of technical understanding required to understand the tip (*intelligibility*), and the financial implementation cost (*financial cost*), as well as the non-financial *implementation effort* (for details, see Appendix Section A3).


Afterwards, we selected the energy saving tips with the highest average score and designed appealing and easily understandable letters in cooperation with *brandseven*, taking into account their experience with the customers of electricity providers. In a second step, we partnered with *Rheingold* to pre-test the letters and the selection of energy saving tips. To this end, *Rheingold* recruited 16 volunteers for qualitative in-depth interviews using a non-random sampling approach in downtown Munich. In spite of the small sample size, the participants rep-

resented all relevant customer groups in terms of sex, age, housing conditions (apartment vs. single-family homes, owning property vs. renting), marital status and family size. *Rheingold* encouraged participants to describe in detail what they perceived and thought when reading the letters. Based on their responses, *Rheingold* created a typology of three groups of energy savers: first, those who are eager to save energy out of conviction to reduce their environmental footprint; second, those who are eager to reduce their electricity bill for monetary reasons; and third, those who believe in technology and consider energy saving more as an opportunity to invest in modern appliances. *Rheingold* documented what they refer to as “turning points and psychological transitions” of interviewees and came up with suggestions for the most impactful saving tips.

Using these insights, we fine-tuned our selection of savings tips and designed three treatment groups to test for framing effects. We translated the kWh savings into monetary terms for the first treatment group (*monetary framing* in the following), into CO₂ savings for the second group (*ecological framing*), and we combined both dimensions for the third group (*combined framing*). The letters in all treatment groups were identical except for the differences in the framing. As a final consolidation step, we again shared and discussed the drafts of the letters with experts from *Verbraucherzentrale NRW* and *Energieagentur.NRW*. In Appendix Section [A2](#) and [A3](#), we show screenshots of the letters, describe all selected tips, and detail our calculations of their savings potential.

The first letter focused on hot water usage and the bathroom, the second on cooking and kitchen appliances, the third on lighting and the living room, and the fourth on entertainment and communication devices. Each of the four letters presented two investment tips and two behavioral tips. Both utilities sent letters of identical content and only adjusted the presentation to match their corporate design. Figure [2a](#) and [2b](#) present examples for one of our energy saving tips in the ecological and monetary framing, respectively. Every tip is associated with a brief explanation and the yearly kWh savings. The displayed tip proposes to replace an old refrigerator with a new energy-efficient one, which results in a reduction in annual operating cost of around 60 EUR and a reduction in CO₂ emissions of 113 kg. The bars visualize the annual cost (monetary framing) or CO₂ emissions (ecological framing) prior to implementing the tip (red bar) and thereafter (green bar), as well as the total savings. In addition to one page that contained the energy-saving tips, our mailing also included a cover letter that introduced the household to the campaign and a reminder card that summarized the saving tips (for details,

Figure 1: Example for the presentation of electricity-saving tips (English translation)



see Appendix [A2](#)).

2.2 Implementation of the randomized controlled trial and data

For the implementation of the randomized intervention, we cooperated with one regional and one supra-regional utility, both located in Germany. The regional utility (henceforth REG) has around 160,000 customers mainly in the North-East of Germany, whereas the supra-regional utility (henceforth SREG) provides electricity to more than six million customers all over Germany, with a focus on the West and South-East of Germany. Out of this population, we use a sample of around 123,000 residential electricity consumers in total; 115,000 from SREG and 8,000 from REG. We randomized the intervention among those households that received their annual electricity bill between mid-August and the end of October 2014. The randomization was stratified by the households' baseline electricity use and the utility.

The four letters were sent to households on a quarterly basis. We sent the first information letter shortly after a household had had its yearly meter reading and had also received the electricity bill for 2014, which constitutes the baseline year of our analysis. Hence, at the time of the next annual metering in 2015, households would have been exposed to the full four letter treatment for about three months. After receiving their 2015 electricity bill, households did not receive any further letters. We observe the electricity consumption for another year, until households received their 2016 electricity bill. This additional year allows us to analyze how treatment effects evolve over time. One might, for example, expect that tips to invest into more energy efficient appliances are realized only after some time. By contrast, behavioral responses might be stronger immediately after the reception of the letter and then attenuate

over time.

As households were not interviewed or informed about participation in an experiment, we can rule out biases through survey, John Henry, and Hawthorne effects (see, e.g., Schwartz et al. 2013). Our sample includes only households that had been with the electricity supplier for at least one year, in order to draw on baseline consumption data. Beyond electricity consumption, the only information we received from the two utilities is the consumer’s tariff and address. For data protection reasons, the address information we obtained included the zip code and street name, but not the house number. Since the electricity market was liberalized in 1998, customers in Germany can freely choose from amongst the different electricity providers and tariffs. However, many households have never switched their tariff. We refer to this group as the “default” tariff group. Moreover, providers usually offer additional tariffs that differ with respect to price and non-price features. SREG, for example, offers a so-called “green” tariff, for which it promises to feed-in an amount of electricity from renewable energy sources equivalent to the customer’s consumption. At REG, all customers receive electricity from renewable sources, but customers can opt for a tariff that promises additional investments in climate change projects. We code these REG customers as “green” because they make an active pro-environmental choice among the tariffs offered by that utility. Furthermore, both utilities offer a heating electricity tariff, where electricity is separately metered for peak- and off-peak times of day, which then allows households to operate electric storage heaters that absorb heat overnight and release it during the day.

Based on households’ addresses, we merged our data set with information at the 1km grid-level that we obtained from a socio-demographic data provider, *microm* (microm 2015). This data set includes population densities, unemployment rates, the average purchasing power per household, the percentage of retirees, and the percentage of foreign household heads. Our data correspond to averages at a 1km grid-level and thus measures the households’ socio-demographic status with error. In principle, so-called “classical” measurement error can lead to attenuation bias. However, using group-averages as a proxy variable is an example of a “non-classical” measurement error. While reducing the precision of our estimates, it does not affect their unbiasedness and consistency (Hyslop and Imbens 2001). In Germany, household-level data at a higher granularity than the 1km grid-level is typically also unavailable for utilities.

2.3 Pre-specification

Our experimental design and hypotheses were not pre-registered prior to study implementation. Therefore, this section outlines the leeway that we had during data analysis and the boundaries determined by our study design. In our main analyses, we estimate and report effects for all treatment arms and the entire experimental sample (Table 2). These analyses follow directly from our experimental design. Moreover, we differentiate treatment effects between the two utilities and between the two years in our experiment. This differentiation reflects study features that we determined before having access to any outcome data. In particular, we decided to collect multiple years of data and to invite several utilities to take part in the experiment. Our aim to estimate utility-specific treatment effects is also mirrored in the choice to stratify the randomization by utility. For these reasons, we regard the hypotheses tests conducted in Section 3.1 as de-facto pre-specified.

Beyond that, we conduct further exploratory heterogeneity analyses. The first analysis, presented in Table 3, is based on the limited information regarding customers' baseline consumption and tariff, which we received from the participating utilities. Based on this data, we do not see any leeway for data mining in terms of variable selection. Yet, as we compare the treatment effects across (self-defined) subgroups of households with a baseline electricity consumption above the median, the highest quartile, and the highest decile, we prominently label this analysis as exploratory in Section 3.2. Only in an additional step, we use secondary data on socio-demographics at the 1km grid-level and conduct purely exploratory heterogeneity analyses (Table 4). Whenever our analyses are exploratory, we discuss general patterns that emerge rather than highlighting individual estimates.

We also pre-specified the general conceptual framework of our study in the project proposal, which we submitted before implementing the study. In the proposal, we outline the general research question ("What is the impact of information on residential electricity consumption?"). Furthermore, the proposal is explicit about our intention to conduct the RCT at various sites. Yet, we also made several adjustments to the experimental design after submitting the proposal. For example, our goal to test for framing effects was not included initially, but added during the preparatory phase of our experiment. We also responded to feedback from the qualitative pre-test conducted by Rheingold and introduced the third treatment arm that combines our monetary and ecological framing ("Combined"). The proposal is available

Table 1: Balance of baseline characteristics between experimental groups

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	SREG					REG			
	Control	Monetary	Ecol.	Combined	P-Value	Control	Monetary	Ecol.	P-Value
Baseline cons., in kWh per day	9.05	9.05	9.01	9.07	(0.88)	7.72	7.90	7.86	(0.34)
Default tariff, in %	0.90	0.90	0.90	0.90	(0.67)	0.50	0.51	0.50	(0.72)
Green tariff, in %	0.02	0.02	0.02	0.02	(0.27)	0.47	0.46	0.46	(0.73)
Heating electricity tariff, in %	0.08	0.08	0.08	0.08	(0.94)	0.03	0.03	0.04	(0.43)
Characteristics at the 1km ² grid-level									
Pop. density, in 1k per km ²	0.308	0.316	0.300	0.301	(0.20)	0.052	0.051	0.052	(0.50)
Unemployment rate, in %	5.2	5.1	5.2	5.1	(0.72)	7.7	7.8	7.7	(0.38)
Retirees, in %	20.9	20.9	20.9	20.9	(0.86)	20.3	20.4	20.3	(0.91)
Purch. power, in 1k € per hh	43.4	43.3	43.3	43.4	(0.52)	35.0	35.1	35.0	(0.60)
Foreign household heads, in %	3.9	3.9	3.9	3.9	(0.93)	1.4	1.4	1.4	(0.27)
Number of participants	76,252	12,869	12,841	12,856	$\Sigma=114,818$	4,559	1,943	1,944	$\Sigma= 8,446$

Note: The columns give averages for participants in the control, monetary framing, ecological framing, and combined framing group. P-values are from F-tests on mean equality in all experimental groups of SREG and REG, respectively. All regional variables are from 2012. Purchasing power corresponds to the average annual purchasing power of households, and the share of foreign household heads corresponds to the share of non-German household heads, both at the 1km² grid-level.

at the AEA registry ([AEARCTR-0006724](#)). It was uploaded after the implementation of the experiment and the finalization of our data analysis.

2.4 Descriptive statistics and balancing

As Table 1 shows, our randomization achieved good covariate balance. In particular, we cannot detect any statistical differences between the control group and the treatment groups (see Columns 5 and 9). As a consequence of different customer bases of SREG and REG, observable characteristics differ substantially between these two utilities. On average, SREG households consume around 9 kWh per day, which corresponds exactly to the average of German households, but substantially exceeds the 7.8 kWh consumed by the average REG household.⁴ The percentage of participants who have chosen a green electricity tariff is substantially larger at REG. Furthermore, the regional characteristics show that REG households typically live in less densely populated neighborhoods, with larger unemployment rates and a lower average purchasing power, as well as with lower shares of foreign household heads. In Table A11 in the Appendix, we show that the percentage of participants that we cannot observe for the entire time span is low and indistinguishable for the experimental groups, which supports our finding that attrition is not an issue in our study.

⁴From an international perspective, both daily consumption numbers are far less than the average U.S. household of around 34 kWh per day (WEC 2016), for example, yet match the OECD average relatively well (cf. Andor et al. 2020).

3 Treatment effects of information letters

3.1 Average treatment effects

We estimate the Average Treatment Effect (ATE) of the information letters (IL) on electricity consumption using the following differences-in-differences model:

$$Y_{i,t}^n = \alpha_i + \beta_t + \sum_F \omega_F IL_i^F Post_t + \epsilon_i \quad (1)$$

where $Y_{i,t}^n = Y_{i,t}/Y_{i,2014}^c$ denotes the average daily electricity consumption of household i in billing period t ($Y_{i,t}$), normalized by the average control group consumption in the baseline period 2014 ($Y_{i,2014}^c$). Furthermore, α_i and β_t correspond to household i and billing period t fixed effects, $t \in \{2014, 2015, 2016\}$. IL_i^F denotes a treatment group dummy that equals one if household i receives letters with framing F , where $F \in \{\text{monetary, ecological, combined}\}$, and zero otherwise. Furthermore, $Post_t$ is a dummy variable that equals one for the two billing periods 2015 and 2016 after the IL have been sent, while $\epsilon_{i,t}$ designates an idiosyncratic error term. Throughout the analyses, we cluster standard errors at the household level.

In our main analysis, we focus on the conservation effect of our three treatment groups on electricity consumption in 2015 and 2016. We also estimate treatment effects separately by treatment group and year. For this purpose, we construct one treatment dummy IL_i that equals one for all three treatment groups, irrespective of the framing. We then explore how heterogeneity in treatment effects relates to household-specific and neighborhood characteristics. Regarding household-specific characteristics, we test whether effect sizes differ by households' tariff or baseline consumption, as suggested by previous studies on resource conservation (e.g. Ferraro and Price 2013). We also explore heterogeneity in terms of neighborhood characteristics. For this purpose, we merge our data with the *microm* data set described in the previous section.

Table 2 presents the ATE estimates of the IL. Despite their identical content, the effectiveness of the letters differs considerably between REG and SREG customers. Column 1 shows that the point estimate for the ATE at SREG is very close to zero and not statistically significant. The large sample size enables us to estimate a narrow 95% confidence interval that ranges from -0.33 to 0.18% . The low standard errors from Column 1 of Table 2 translate into a mean detectable effect size of -0.36% (at the conventional 80% power level and 5% level of statistical

significance). Put differently, we cannot reject the null hypothesis of no effect for SREG because no sizeable effect exists. Furthermore, Column 4 shows that REG customers reduce electricity consumption by 1.23% compared to baseline consumption over the two year observation period. This ATE is statistically significant at the five percent level and translates into an absolute reduction of around 36 kWh per year or 0.10 kWh per day, which corresponds to switching off a 30 Watt light bulb for about four hours every day. For comparison, the estimated ATE of 1.2% is similar in magnitude to the ATEs of 0.5 to 3.3% estimated for social comparison-based home energy reports that have received much attention in the literature (e.g. Allcott 2011; 2015, Andor et al. 2020).⁵

In a next step, we investigate the framing effects of reporting electricity savings in monetary terms (*monetary*), in CO₂ terms (*ecological*), or as a combination of both (*combined*). The point estimates presented in Columns (2) and (5) indicate that for both utilities, the ATE in the ecological framing condition is about twice as large as in the monetary framing condition, reaching -0.18% and -1.6% for SREG and REG, respectively. While we cannot reject the null hypothesis of no difference between the framing conditions at any conventional level, we can reject the null hypothesis that ecologically-motivated savings are ineffective at REG with 95% confidence. Taken together, this suggests that environmentally motivated letters are equally or even more effective than those appealing to monetary motivations. This result is consistent with the findings by Bolderdijk et al. (2013), for example, who show that car owners respond more strongly to environmentally-motivated appeals than to economic appeals.

To investigate whether households respond more strongly in the year of the treatment, we exploit the two billing periods 2015 and 2016 separately. As can be seen in Column 3 of Table 2, we estimate a precise null effect for SREG customers in both years. For REG customers (Column 6), the conservation effect in the year of the treatment amounts to 1.36%, and persists in the year after the treatment has ended, reducing to 1.07%. This decrease implies an annual attenuation rate of about 27%. It is comparable to the persistence of social comparison-based home energy reports and similar interventions that have found attenuation rates of around 15 – 50% in the year after the treatment (Allcott and Rogers 2014, Bernedo et al. 2014, Brandon et al. 2017, Ferraro et al. 2011).

⁵For REG, the mean detectable effect size amounts to 1.43%. While it is larger than for SREG, our study is sufficiently powered to detect typical effect sizes of about 2% that have been found for home energy reports (e.g., Allcott 2011; 2015).

Table 2: ATE by utility, framing condition, and year (in %)

	(1)	(2)	(3)	(4)	(5)	(6)
	SREG			REG		
IL	−0.072 (0.130)			−1.225** (0.512)		
IL _{monetary}		−0.069 (0.194)			−0.815 (0.623)	
IL _{ecological}		−0.181 (0.199)			−1.633** (0.648)	
IL _{combined}		0.033 (0.201)				
IL x 2015			−0.061 (0.123)			−1.361*** (0.497)
IL x 2016			−0.085 (0.165)			−1.073* (0.625)
R ²	0.014	0.014	0.014	0.003	0.003	0.003
Number of obs.	316,571	316,571	316,571	23,294	23,294	23,294
Number of participants	113,903	113,903	113,903	8,359	8,359	8,359

Note: Standard errors are in parentheses and clustered at the household level. *IL_{monetary}*, *IL_{ecological}* and *IL_{combined}* denote the ATEs in our three framing groups, respectively. *ILx2015* and *ILx2016* denote the ATE in the year 2015 and 2016, respectively. In Columns (2), (3), (5), and (6), we estimate Differences-in-Difference-in-Difference models and omit a reference group, so that the estimates correspond to the ATE in the respective subgroup. ***, **, * denote statistical significance at the 1%, 5% and 10% level, respectively.

3.2 Exploratory heterogeneity analysis

The stark contrast in effect sizes between SREG and REG ($IL_{SREG} - IL_{REG}$: −1.153, p-value: 0.029) highlights the importance of understanding response heterogeneity in more detail. We start by exploring how treatment effects relate to households' observable characteristics. Results in this section should be interpreted with care, since we did not pre-specify these subgroup analyses. Also, the sample sizes become small in some of the subgroups, in particular for REG.

We first analyze whether or not the households with higher energy consumption levels realize larger savings, which has been found in prior studies on water (Ferraro et al. 2011, Ferraro and Price 2013) and energy consumption (Allcott 2011, Andor et al. 2020). For this purpose, we estimate the ATE for four subgroups of households that use less than the median, more than the median, more than the top quartile, and more than the top decile of baseline electricity consumption, respectively. For REG, the results confirm that customers with higher consumption levels conserve more electricity (Column 1 of Table 3). While households with an electricity

Table 3: ATE by baseline consumption and tariff (in %)

	(4)	(5)	(6)	(1)	(2)	(3)
	SREG			REG		
Subgroup	ATE	Std. Err.	n	ATE	Std. Err.	n
Baseline cons. \leq median	-0.162*	(0.086)	157,817	-0.314	(0.379)	11,599
Baseline cons. $>$ median	0.012	(0.243)	158,754	-2.066**	(0.946)	11,695
Baseline cons. $>$ p75	0.224	(0.447)	79,002	-3.629**	(1.743)	5,831
Baseline cons. $>$ p90	0.647	(0.987)	31,330	-4.282	(3.646)	2,316
Green tariff	1.185	(0.961)	5,119	-0.096	(0.599)	10,981
Default tariff	-0.163	(0.117)	294,907	-1.425**	(0.684)	11,493
Heating tariff	0.256	(1.309)	16,545	-14.609**	(6.947)	820

Note: Standard errors are clustered at the household level, standard errors in parentheses. ATEs are estimated in the specified subgroup as described in Equation 1. ***, **, * denote statistical significance at the 1%, 5% and 10% level, respectively. Participants in the above median, top quartile, and top decile groups consume more than 11.3, 14.5, and 19.2 kWh per day (REG) and 13.4, 17.8, and 24.5 kWh (SREG), respectively.

consumption below the median realize only a statistically insignificant conservation effect of -0.3% , we detect a statistically significant reduction of 2.1% for households above the median. The treatment effect even reaches 3.6% and 4.3% for households in the top quartile and top decile, respectively. Yet, as the relatively low sample sizes in each of the subgroups give rise to power concerns, we interpret the differences in the point estimates only as suggestive evidence. For SREG, we cannot detect that high-consumption households conserve more (Column 5). For households with consumption levels below the median, we detect a conservation effect of -0.16% , which is small in size but statistically significant at the 10% level. Yet, we cannot detect any electricity savings for households with higher consumption levels.

Next, we test for treatment effect heterogeneity by customers' tariff. Column (1) in Table 3 shows that we detect the largest behavioral response for REG customers with a heating tariff, who reduce electricity consumption by almost 15% . This effect is statistically significant at the 5% level and differs strongly from the ATE for default tariff customers (difference: -13.1 percentage points, p-value: 0.058), and even more from the ATE for green tariff customers (difference: -14.5 percentage points, p-value: 0.037). Heating tariff users are characterized by high consumption levels and thus this finding is in line with the larger effect for high-consumption households. Yet, we caution against overinterpreting the magnitude of this point

Table 4: ATE by neighborhood characteristics (SREG)

	(1)	(2)	(3)	(4)	(5)
IL	−0.063 (0.628)	−0.064 (0.623)	−0.067 (0.606)	−0.068 (0.603)	−0.067 (0.605)
IL x Density	0.336*** (0.126)				
IL x Unemployed		0.108*** (0.029)			
IL x Retirees			−0.015 (0.034)		
IL x PurchPower				−0.047*** (0.014)	
IL x HeadForeign					−0.051 (0.036)
R ²	0.014	0.014	0.014	0.014	0.014
Number of obs.	315,741	315,741	316,025	315,741	315,741
Number of participants	113,597	113,597	113,700	113,597	113,597

Note: Standard errors are clustered at the household level, standard errors in parentheses. Outcome variables are demeaned, so that the parameter estimates on *IL* corresponds to the ATE at the mean. All interaction terms show the change in the ATE (in percentage points per unit of the respective covariate). ***, **, * denote statistical significance at the 1%, 5% and 10% level, respectively.

estimate, given the small sample size of only 820 customers in this subgroup. The estimated conservation effect for default tariff users is at around 1.4% and statistically significant. Again, the results for SREG are different and we cannot detect a strong conservation effect for SREG heating tariff customers (Column 4).

We also explore how socio-demographic neighborhood characteristics are related to the size of treatment effects and estimate Equation (1) separately for each characteristic. Since such heterogeneity analyses are demanding in terms of statistical power, we only discuss the results for our large sample of SREG customers in the main text. The results for REG are similar, yet less precisely estimated, and can be found in Appendix Table A10.

As the first column of Table 4 shows, the treatment effects of SREG households decrease by around 0.3 percentage points as population density increases by 1,000 inhabitants per square kilometer. This effect is statistically significant and could potentially explain why SREG customers have lower ATEs, compared to REG customers, who predominantly live in rural areas. Column (2) shows that the electricity savings are smaller in neighborhoods with large unemployment rates, while households in neighborhoods with larger average purchasing power

save more (Column 4).

3.3 Heterogeneity analysis based on *causal forests*

The explorative heterogeneity analysis based on linear regressions gives a first indication of treatment effect heterogeneity. Yet, detecting heterogeneity patterns based on linear regression analysis is difficult. For example, treatment effect heterogeneity is often non-linear in covariates and may depend on complex interaction effects. When researchers select which variables and interaction effects to include based on estimation results, this procedure may lead to a selection of statistically significant, but spurious, heterogeneity patterns (see, e.g., Athey and Imbens 2016 for a general discussion of “honest” estimation). To overcome these limitations, we explore treatment effect heterogeneity based on recently developed causal forest methods (Wager and Athey 2018, Athey et al. 2019). This methodology allows us to assess how treatment effect heterogeneity relates to observable characteristics. It also allows us to test the robustness of the heterogeneity patterns that we have identified in our previous heterogeneity analysis (Section 3.2).

Causal forests adapt machine learning algorithms to the estimation of treatment effects in large samples. This algorithm estimates conditional average treatment effects $CATE(x)$, i.e., the ATE at particular covariate realizations $x \in X$, where X denotes the covariate space. In our case, the covariate space corresponds to all attribute combinations of the household-specific and neighborhood characteristics. In particular, we consider the following covariates in our setting: baseline electricity use, dummies for electricity tariffs, population density, the unemployment rate, the average purchasing power per household, the percentage of retirees, and the percentage of foreign household heads.


The basic building block of a causal forest algorithm is a “causal tree”, which is constructed based on a randomly selected subsample of the data, the so-called “root node”. For identification, a causal tree partitions the covariate space into subsamples with similar CATEs. Partitioning minimizes a mean squared error criterion for treatment effects in order to maximize treatment effect prediction accuracy. To avoid overfitting, partitioning penalizes treatment-control imbalance and the variance in ATEs within a node. Once further splits of the data do not increase the error criterion, a final partition is reached, the so-called “leaves”.

For every leave, the CATE is then estimated based on observations from another subsample. This so-called “honest” approach (Athey and Imbens 2016) ensures consistency of the CATE

estimator despite the fact that the partitions are determined in a data-driven manner. A causal forest algorithm repeats this process for other randomly selected root nodes and averages the tree-specific CATEs. To deal with the panel nature of our data set, we transform the outcome variable to first differences ($Y_{i,2015}^n - Y_{i,2014}^n$) and thus use the causal forest algorithm to analyze heterogeneity in the treatment period 2015. As the estimation of a random forest can be sensitive to the choice of some tuning parameters, such as the minimum number of observations per leaf, we follow Athey et al. (2019) and determine those parameters optimally through cross-validation (for details, see Appendix A6).

We first assess the extent of treatment effect heterogeneity by plotting conditional average treatment effect (CATE) estimates for SREG and REG households, respectively, against effect size percentiles (Figures 4a and 4d). Figure 4a shows that the CATE of the most responsive SREG households, i.e., those at the first percentile of the effect size distribution, amounts to -0.3% . Hence, it is only slightly less than the ATE of -0.072% (Section 3.1). Furthermore, we estimate a negative CATE for the vast majority of households. Positive CATE estimates are rare and always smaller than 0.2% . This finding implies that the low ATE for SREG customers stem from low effect sizes overall rather than from heterogeneous positive and negative CATEs that cancel out on average. As shown in Figure 4d, we detect substantially more treatment effect heterogeneity for REG. About 10% of the households have treatment effects beyond -3% and about half of all households reduce their electricity consumption by more than 1%. Furthermore, CATE estimates are almost exclusively negative, except for 4% of households where they are positive but smaller than 0.5% .

Figure 3: Targeting using Causal Forest Methods for Estimating CATE



Note: We estimate CATE based on a Causal Forest (Wager and Athey 2018). We follow Athey et al.'s (2019) recommendation to grow a large number of trees (4,000) and to determine tuning parameters based on a cross-validation procedure. Details on the estimation and the tuning parameters can be found in Appendix A6. Figures 4a and 4d give the resulting CATE estimates, sorted by CATE percentile for SREG and REG, respectively. Figures 4b and 4e give the difference between the characteristics of households in the top decile, the second to fourth decile, and above the fourth decile, compared to the overall sample, divided by its standard deviation. Figures 4f and 4f present the abatement cost of households at a particular percentile of the CATE distribution ("Marginal cost"), the average abatement cost of sending letters to all households whose CATE is smaller or equal to the CATE at a particular percentile ("Avg. cost (targeting)"), and the average abatement cost of sending the letter to all customers ("Avg. cost (no targeting)"). To calculate abatement cost, we approximate intervention cost with 4\$ (1\$ per letter), use the average German carbon intensity of 486 g per kilowatt-hour (IEA 2015), neglect discount rates, and assume that treatment effects decrease linearly by around 20 percentage points per annum, as implied by our estimates for REG households.

In Figures 4b and 4e, we explore the link between observable household characteristics and the magnitude of the CATE estimates. For that purpose, we define three groups of households. A first group consists of households in the top CATE decile (i.e., the 10% of households with the largest electricity savings), a second group consists of households in the second and third CATE deciles, and a third group consists of all remaining households. For every covariate, we calculate the difference between the covariate mean in a given group and the respective population mean, normalized by the standard deviation of that covariate.

Based on these standardized differences, we investigate how responsive households, for example those in the first CATE decile, differ from the average household in terms of covariates. For both utilities, we find that responsive households live in less densely populated areas and are less likely to have foreign household heads, which mirrors the results from our univariate heterogeneity analyses. Beyond this similarity, the heterogeneity patterns differ. For REG, we find that households in the top decile of treatment effects have larger baseline electricity consumption and are more likely to have a heating tariff compared to the overall population, with a normalized difference of about 1.2 and 1.0 standard deviations for REG households, respectively. For SREG customers, this pattern does not hold. Responsive SREG households tend to live in neighborhoods with higher unemployment rates and lower purchasing power.

4 Cost-effectiveness, external validity, and targeting

In this section, we assess the cost-effectiveness of our intervention, the ability to extrapolate findings from one utility to another, and the potential of targeting. For every participant, we calculate the implied abatement cost per ton CO₂, which is a widely-used benchmark for assessing the cost of energy-saving measures.⁶ We compare these costs with the benefits from the avoided social cost of carbon (SCC). As the size of the SCC is subject to dispute in the literature, we use an estimate of 41\$ per ton of CO₂, but also consider 12 and 119\$ per ton of CO₂ as lower and upper bound estimates (IAWG 2016, all values deflated to 2015 \$).

First, we assess the cost effectiveness of sending the information letters to all households at the SREG and REG in our sample. As shown by Table 5, the average abatement cost for SREG customers amount to 922\$ per ton of CO₂, which clearly exceeds even a large SCC estimate of

⁶We use our participant-specific CATE estimates, approximate intervention cost with 1\$ per letter, use the average German carbon intensity of 486 g per kilowatt-hour (IEA 2015), neglect discount rates, and assume that treatment effects decrease linearly by around 20 percentage points per annum.

Table 5: The Effect of Targeting on the Cost-Effectiveness of IL

	(1) IL recipients, in %	(2) ATE of IL recip., in %	(3) Avg. abatement cost, in \$ per t
<i>a) No Targeting</i>			
SREG	100	−0.1	922.4
REG	100	−1.4	77.1
<i>b) Extrapolations Across Utilities, Based on Heterogeneity Patterns (CATEs) and Covariates</i>			
Extrapolation from SREG to REG: $E_X [CATE^{SREG}(X^{REG})]$	100	−0.17	602.9
Extrapolation from REG to SREG: $E_X [CATE^{REG}(X^{SREG})]$	100	−2.0	43.8
<i>c) Utility-Specific Targeting under the Following Policy Objectives</i>			
SREG	Max. abatement	82	−0.13
	Max. benefit (SCC: 119\$ per t CO ₂)	0	-
	Max. benefit (SCC: 41\$ per t CO ₂)	0	-
	Max. benefit (SCC: 12\$ per t CO ₂)	0	-
REG	Max. abatement	96	−1.4
	Max. benefit (SCC: 119\$ per t CO ₂)	62	−1.9
	Max. benefit (SCC: 41\$ per t CO ₂)	11	−3.7
	Max. benefit (SCC: 12\$ per t CO ₂)	0.1	−9.0

Note: Our calculations are based on the CATE estimates for SREG and REG from Figure 4a and 4d, respectively. To calculate abatement cost, we approximate intervention cost with 4\$ (1\$ per letter), use the average German carbon intensity of 486 g per kilowatt-hour (IEA 2015), neglect discount rates, and assume that treatment effects decrease linearly by around 20 percentage points per annum, as implied by our estimates for REG households. *ATE of IL recipients* denotes the average treatment effect and *Avg. abatement cost* denotes the average abatement cost for information letter (IL) recipients, respectively. We consider three targeting schemes: *No targeting* implies that all households receive IL, *Max. abatement* targets households whose predicted treatment effects exceed zero, and *Max. benefit* targets households whose letter cost per saved ton of CO₂ is lower than the following three assumed social cost of carbon (SCC) of 119, 41, and 12\$ per t CO₂, respectively. *Extrapolation from SREG to REG*, for example, estimates the ATE at REG, using the CATE estimates from SREG and the covariates of REG customers.

119\$. Hence, the benefits of a climate policy that sent information letters to all SREG customers would fall below its costs. For REG customers, we find that the average abatement cost amount to 77\$, which is below our upper bound SCC estimate of 119\$. A policy of sending information letters to these customers can thus be rationalized if policy makers expect rather large damages from global warming.

Next, we explore the implications of the large differences in effect sizes and average abatement cost on the ability to extrapolate treatment effect across study populations. For example, if we had only run our experiment at REG and had tried to quantitatively extrapolate our results to SREG, would we have been able to predict the average treatment effect at that utility? Clearly, using our ATE estimate of −1.4% from REG as a predictor of the ATE at SREG would have resulted in strong prediction errors. One reason for such errors is that a naive prediction does not take differences in sample characteristics into account. To test whether or not differ-

ences in characteristics can explain the differences across utilities, we use our CATE estimates from one utility and predict the ATE for customers of the other utility.

As shown in Panel b) of Table 5, we do not find that differences in observables explain the difference in ATEs across utility.⁷ When we predict the ATE in the SREG sample based on the CATEs estimated for REG customers, we obtain an ATE of -2% , which is even larger than the ATE for REG customers.⁸ This large effect translates into a predicted average abatement cost of around 44\$ per ton CO₂, which is considerably below an SSC estimate of 119\$, for example. Furthermore, predicting the ATE for REG customers based on the CATEs estimated for SREG customers yields an ATE of only -0.17% and average abatement cost of more than 600\$.

This finding demonstrates that using socio-demographic data to extrapolate results across utilities would lead to large prediction errors and misguided policy recommendations. It holds true despite the fact that the information letters had identical content, that the program implementation was indistinguishable across utilities, and that we use comprehensive data on socio-economic characteristics and a sophisticated causal forest machine learning algorithm to account for differences in sample composition. The large unexplained heterogeneity in treatment effects points to the importance of utility-specific moderating factors. To give an example, different customer engagement habits and differences in reputation across utilities may co-determine whether customers actively read the letters and trust the information that is provided. In addition, customers may select into a utility based on unobservable characteristics, which could also moderate the impact of the intervention. Such contextual factors are difficult to quantify and pose substantial challenges for generalizing heterogeneity patterns and effect sizes across utilities.

Differences in context also arise from the fact that customers of both utilities tend to live in different geographic areas. SREG recruits its customers from all over Germany (with a concentration in the center and south-east of the country), including large cities and the densely populated agglomerations. By contrast, REG virtually only supplies customers in the very north-eastern part of the country (see Appendix Figure A10 for an overview). Beyond what standard socio-demographic data can capture, regional differences may correlate with unobservable characteristics of consumers and may hence moderate treatment effects. In addition, households in some different geographic areas may have been exposed to earlier energy effi-

⁷We present the distributions of estimated and predicted CATEs in Appendix Figure A11.

⁸The reason for larger ATEs is that high-usage households have larger treatment effects at REG, but not at SREG, and that SREG households tend to have larger consumption levels overall.

ciency awareness campaigns that were conducted by some local regional utility in the 1970s in response to the oil crisis.⁹

In Panel c) of Table 5, we explore the extent to which targeting based on utility-specific heterogeneity patterns could increase the effectiveness of interventions at the same utility. As Figures 4c and 4f illustrate, targeting can substantially reduce the average abatement cost from the intervention when information letters are sent only to all households with the most pronounced CATEs and, hence, the lowest abatement cost (denoted as marginal abatement cost in Figures 4c and 4f).

Next, we quantify the benefits of two targeting strategies. First, a policy maker may want to maximize total CO₂ abatement by sending letters to all households with negative CATE estimates. Second, a policy maker may aim to maximize the net benefits of the intervention, defined as the difference between the avoided social cost of carbon and the abatement cost. For this targeting strategy, we again consider the three different scenarios based on a social cost of carbon of 12, 41, and 119\$ per ton, respectively.

For SREG customers, we find that targeting does not help to increase the effectiveness of the intervention. Maximizing abatement by sending information letters only to the 82% of customers with negative CATE would only marginally increase average energy savings to -0.13%. This finding reflects the absence of significant treatment effect heterogeneity at SREG (see Figure 4a). Furthermore, a targeting strategy that aims to maximize social benefits of the intervention would not send information letters to any SREG household, no matter which social cost of carbon estimate we consider. For REG customers, we find that sending the letters to 96% of customers with the largest CATE estimates would maximize abatement at abatement cost of about 73\$. A targeting strategy that maximizes social benefits at an social cost of carbon of 119 and 41\$, would send letters to 62 and 11%, respectively, at average abatement cost of 54 and 28\$, respectively. Hence, at REG, targeting could substantially reduce average abatement cost, while sending letters to a sizeable percentage of households. Only when assuming a low social cost of carbon of 12\$ do we find that information letters would be sent to almost none of the REG customers (0.1%).

⁹For the two utilities in our experiment, we can exclude that energy efficiency awareness campaigns were conducted in the years prior to our field test.

5 Conclusion

Based on a large-scale randomized controlled trial among more than 120,000 customers of two utilities, this paper has evaluated the effectiveness of a letter-based information campaign about tips for energy efficient investments and behaviors. In a well-powered experiment, we find that the average effect size is small, irrespective of the framing. By contrast, we detect substantial heterogeneity in treatment effects between both utilities. While we estimate a precise null effect (-0.06%) in the year of the treatment for customers of the larger supra-regional utility (SREG), consumers of the smaller regional utility (REG) reduce their electricity consumption much more strongly, by 1.4% . This effect at REG persists one year after the treatment has ended, but decreases by 27 percentage points.

Beyond estimating the average treatment effects, we conduct explorative heterogeneity analyses to identify particularly responsive consumer subgroups. In line with previous energy conservation studies (Allcott 2011, Andor et al. 2020), we find that REG customers with high base-line electricity consumption levels exhibit higher effect sizes than those with low consumption levels. For SREG we do not find these differences, though. To explain heterogeneity across utilities, we leverage the full potential of our data set and employ a causal forest machine learning algorithm developed by Wager and Athey (2018). Using comprehensive socio-demographic data, we show that heterogeneity in treatment effects cannot be explained by differences in the observable characteristics of customers. As the letter content and the implementation of the program were identical for both utilities, this finding points to the importance of utility-specific factors, such as differences in unobserved customer characteristics and customer engagement habits.

The finding that our information letters yield a 1.4% reduction for one utility also adds to the understanding of the effectiveness of home energy reports (HER), which have been proposed as a promising policy tool by which to reduce energy consumption (Allcott and Mullainathan 2010). The literature on HER has typically attributed their conservation effect of about $0.5\text{--}3.3\%$ to the presence of a social comparison module, despite the fact that HER typically also include other elements, such as energy saving tips (e.g. Allcott 2011; 2015). Our finding shows that a social comparison might not be the only element of such letters that triggers energy conservation. In fact, social comparison-based home energy reports have been shown to realize about 0.7% in Germany (Andor et al. 2020); only about half of the conservation effect that our

information letters achieve at REG.

Our findings have important implications for policy. In contrast to previous studies on retirement savings (Dolls et al. 2018) and social comparison based reports (e.g. Allcott 2011; 2015), our evidence suggests that letter-based information campaigns are largely ineffective when used as a universal policy. While we detect sizeable effect sizes for particular consumer subgroups, we find that these groups cannot be identified based on observable characteristics. The presence of site-specific factors represent a significant obstacle for bringing an informational intervention to scale. First, they complicate learning from a pilot study about the effect sizes of the same intervention at another site, or even in the overall population. If a pilot had only been conducted in the REG sample, for example, policy makers would have made misinformed scaling decisions by wrongly expecting that these considerable savings would also materialize elsewhere (e.g. in the SREG sample). Second, site-specific factors also prevent the derivation of generally applicable targeting strategies that could otherwise allow the cost-effectiveness of informational interventions to improve.

More broadly, our findings provide further evidence for how much causal effects measured in a particular study population and set-up depend on the particular context and the implementation partner (e.g. Allcott 2015, Dehejia et al. 2019, Gechter 2016, Peters et al. 2018, Vivalt 2020). In particular, Vivalt (2020) finds that generalizability between different programs and settings is very limited for many types of interventions and recommends to conduct impact evaluations in multiple settings with varying contexts. Our study implements this suggestion and shows that context matters: identical treatments delivered in the same country can induce sizeable savings in some study populations, while being virtually ineffective in others. The fact that our available socio-demographic variables fail to explain the large differences in treatment effects across utilities points to the importance of other factors that may be difficult to quantify. In our context, such factors include the reputation of a utility, which may affect how households perceive information letters. Another potential factor is the exposure to information prior to the intervention, which may be higher in regions where environmental protection organizations, utilities, and schools are more active in disseminating it. Further work that assesses potential site differences ex-ante and helps to disentangle the importance of such partner- and site-specific moderators would be valuable. In particular, it could allow to better evaluate the population-wide effects of a wide range of interventions that involve energy utilities, hospitals, or schools.

Appendix (For Online Publication)

A1 Literature on the Effects of Information Provision on Energy Use	i
A2 Information Letters	ii
A3 Electricity-Saving Tips: Selection, Assumptions, Description	xi
A4 Regional Distribution of SREG and REG Participants	xix
A5 Further Regressions	xx
A6 Estimation of CATE using Random Forests	xxiii

Supplementary Figures

A1 SREG Letter 1, Cover Letter (Framing: Econ)	ii
A2 SREG Letter 1, Energy-Saving Tips (Framing: Econ)	iii
A3 SREG Letter 1, Energy-Saving Tips (Framing: Env)	iv
A4 SREG Letter 1, Energy-Saving Tips (Framing: Econ/Env)	v
A5 SREG Letter 1, Reminder Card (Framing: Econ)	vi
A6 REG Letter 1, Cover Letter (Framing: Econ)	vii
A7 REG Letter 1, Energy-Saving Tips (Framing: Econ)	viii
A8 REG Letter 1, Energy-Saving Tips (Framing: Env)	ix
A9 REG Letter 1, Reminder Card (Framing: Econ)	x
A10 Location of SREG and REG Participants	xix
A11 Distribution of CATE Estimates and Predictions (Across Utilities)	xxiv

Supplementary Tables

A1 Studies on Information Provision, surveyed by Delmas et al. (2013)	i
A2 Selection of tips for category <i>IT and Leisure</i>	xi
A3 Selection of tips for category <i>Bathroom and Basement</i>	xii
A4 Selection of tips for category <i>Kitchen</i>	xiii
A5 Selection of tips for category <i>Living Room</i>	xiv
A6 Assumptions Underlying Quantification of Electricity-Saving Tips (I)	xv
A7 Assumptions Underlying Quantification of Electricity-Saving Tips (II)	xvi
A8 Electricity-Saving Tips (I), English Translations	xvii
A9 Electricity-Saving Tips (II), English Translations	xviii
A10 ATE by regional characteristic (REG)	xx
A11 Treatment Effect on the Probability to Terminate Contract with the Utility	xxi
A12 The Effect of Targeting on the Cost-Effectiveness of IL (including Targeting based on Consumer Subgroups)	xxii

A1 Literature on the Effects of Information Provision on Energy Use

Table A1: Studies on Information Provision, surveyed by Delmas et al. (2013)

Article	Treatment	n		Effect Size (%)
		n_T	n_C	
Pallak and Cummings (1976)	Information on energy conservation strategies	33	40	-12.53, -4.36
Craig and McCann (1978)	Information via electric utility bill on eleven different ways consumption of electricity for AC could be reduced	800	200	-2.50
Battalio et al. (1979)	Instructions on how to compute electric utility bill; two information booklets on sources of energy use and conservation tips for households	20	26	8.18
Midden et al. (1983)	Information: one brochure about negative consequences of energy use and three brochures giving the consumer practical tips on how to conserve energy	13	13	-2.00
Kantola et al. (1984)	Pamphlet and card that contain ways to reduce the electricity consumed by air conditioners, with a note informing them that dishwashers also use a lot of electricity	30	25	-8.50
Winett et al. (1985)	TV program on reasons to save energy, how to save energy and retain comfort (dosing windows, blinds, reduced AC, turn off AC in the night); also received booklet with cartoons depicting strategies	28	30	-12.12
Hutton et al. (1986)	Information about how to save energy and what used the most energy in houses	95	84	-1.52
Brandon and Lewis (1999)	Information that gives advice on energy savings	19	22	-8.17
Reiss and White (2008)	Persuasive and informational media campaign through television, radio, newspapers etc. appealing to consumers to conserve energy and educating consumers about how to do so through simple changes in behavior	46,800	0	-7.00
Ouyang and Hokao (2009)	Information on energy-saving measures for: air-conditioning, refrigerator, TV, computer, electric cooker, lighting, water heater, washing machine, microwave oven, fanner	62	62	-13.76

Note: The table lists all articles from Delmas et al. (2013) on the impact of energy saving information on household energy use. Articles in which energy saving information is combined with other treatments (such as individual feedback, social comparison, goal setting, etc.) are not included. Full bibliographic details are given in Delmas et al. (2013).

A2 Information Letters

Figure A1: SREG Letter 1, Cover Letter (Framing: Econ)



E.ON Energie Deutschland GmbH • Postfach 14 75 • 84001 Landshut

<Anrede>
<Akad.Titel><Vorname><Nachname>
<Straße><HausNr>
<PLZ><Ort>
<Land>

**In vier Schritten Geld sparen:
Machen Sie Ihr Zuhause zum Energiesparheim**

Sehr geehrter XXX,

in jedem Haushalt schlummern Möglichkeiten, Strom einzusparen. Machen Sie Ihr Zuhause jetzt zum Energiesparheim und tun Sie Ihrem Portemonnaie etwas Gutes.

Mit unseren Energiespartipps geben wir Ihnen Anregungen, wie Sie Energie sparen können. Innerhalb eines Jahres erhalten Sie dazu von uns vier Briefe, in denen wir mit Ihnen durch die zentralen Bereiche gehen: Bad & Keller, Küche, Wohnen sowie Technik & Freizeit.

Schauen Sie die Tipps durch und entscheiden Sie, was am besten zu Ihnen passt. Mit der beiliegenden Karte können Sie die wichtigsten Tipps einfach sammeln und sehen, wie sich Ihr Zuhause im Verlauf des Jahres zum Energiesparheim entwickelt. Los geht's heute mit Folge 1: Sparen im Bad & Keller.

Mit freundlichen Grüßen
Ihre E.ON Energie Deutschland GmbH

Strom im eigenen Zuhause: Wo wird wieviel verbraucht?
Stromverbrauch eines durchschnittlichen 4-Personen-Haushalts (ohne elektrische Warmwasserbereitung)



Folge 1:
Sparen im Bad & Keller
Hier geht's los...

Folge 2:
Sparen in der Küche
Hier geht's demnächst weiter

Folge 3:
Sparen im Wohnzimmer

Folge 4:
Sparen bei Technik und in der Freizeit

Vorsitzender des Aufsichtsrats:
Dr. Ingo Luge

Geschäftsführer:
Rolf Fouchier (Vorsitzender)
Christian Barr
Ulrich Danco
Dr. Uwe Kolks
Dr. Heinz Rosenbaum

Sitz: München
Arnulfstraße 203
80634 München
Amtsgericht München
HRB 209327
Ust-Id-Nr. DE259922663

Figure A2: SREG Letter 1, Energy-Saving Tips (Framing: Econ)




Figure A3: SREG Letter 1, Energy-Saving Tips (Framing: Env)



Folge 1:
Sparen im Bad & Keller – Tipps und Tricks rund um das Energiesparen

Das hat sich gewaschen: Im Bad & Keller richtig viel Strom sparen

Schnell gespart

- 1 Sparbrause anbringen:** Erzeugen Sie Warmwasser mit Strom? Dann können Sie viel Strom durch eine Spar-Duschbrause einsparen, die es in jedem Baumarkt zu kaufen gibt. Sie verringert Ihren Stromverbrauch im Jahr um ca. **1.000 kWh** und vermeidet dadurch etwa 530 kg CO₂/Jahr.*

1.326 kg CO₂/Jahr

796 kg CO₂/Jahr

530 kg CO₂/Jahr
vermeiden

- 2 Waschtemperatur verringern:** Waschen Sie mit hohen Temperaturen? Moderne Waschmittel erzielen auch dann gute Ergebnisse, wenn Sie die Waschtemperaturen von 60°C auf 40°C bzw. von 40°C auf 30°C verringern. Ihr Energieverbrauch sinkt dadurch um rund **75 kWh/Jahr**, was 41 kg CO₂/Jahr entspricht.*

96 kg CO₂/Jahr

55 kg CO₂/Jahr

41 kg CO₂/Jahr
vermeiden

Clever investiert

- 3 Effiziente Heizungspumpe installieren:** Haben Sie schon daran gedacht, Ihre alte Heizungspumpe auszutauschen? Alte Heizungspumpen sind – im Gegensatz zu neuen – dauerhaft in Betrieb und verbrauchen dementsprechend viel Strom. Wenn Sie eine moderne Pumpe installieren lassen, können Sie etwa **530 kWh/Jahr** einsparen und vermeiden dadurch 279 kg CO₂/Jahr.*

311 kg CO₂/Jahr

32 kg CO₂/Jahr

279 kg CO₂/Jahr
vermeiden

- 4 Alten Trockner ersetzen:** Nutzen Sie einen Trockner ohne Wärmepumpe? Ein konventioneller Trockner verbraucht gegenüber einem modernen energieeffizienten Trockner mit Wärmepumpe ca. **500 kWh/Jahr** mehr. Das entspricht 262 kg CO₂/Jahr.*

361 kg CO₂/Jahr

99 kg CO₂/Jahr

262 kg CO₂/Jahr
vermeiden

Entdecken Sie die Tipps, die für Sie passen, und legen Sie los

■ Im Durchschnitt ■ Nach Umsetzung des Tipps

* Jährliche CO₂-Emissionen: Berechnung auf Basis eines durchschnittlichen 4-Personen-Haushaltes. (Energymix in Deutschland 0,522 kg CO₂/kWh, weitere Annahmen: siehe rechts)
Zum Vergleich: 1 kg CO₂ entsteht, wenn man 5 km mit dem Auto fährt.
Quelle: E.ON

Typ	Annahmen zur Nutzung	Energieverbrauch pro Nutzung
1	5 Duschgänge pro Woche, 4 Personen	Alt: 0,49 kWh, neu: 0,29 kWh
2	220 Waschgänge: (120 mal: 60°C → 40°C, 100 mal: 40°C → 30°C)	Alt: 1,05/0,57 kWh, neu: 0,57/0,37 kWh
3	1 Jahr	Alt: 596 kWh, neu: 61 kWh
4	160 Trockenzyklen	Alt: 432 kWh, neu: 1,19 kWh

Figure A4: SREG Letter 1, Energy-Saving Tips (Framing: Econ/Env)




Folge 1:
Sparen im Bad & Keller – Tipps und
Tricks rund um das Energiesparen


Das hat sich gewaschen: Im Bad & Keller Euros sparen und die Umwelt schonen

Schnell gespart

- 1 Sparbrause anbringen:** Erzeugen Sie Warmwasser mit Strom? Dann können Sie viel Strom durch eine Spar-Duschbrause einsparen, die es in jedem Baumarkt zu kaufen gibt. Sie verringert Ihren Stromverbrauch im Jahr um ca. **1.000 kWh** und senkt Ihre Kosten dadurch um etwa **284 Euro/Jahr**.*
Rechnet sich meist schon in einem Monat.



- 2 Waschtemperatur verringern:** Waschen Sie mit hohen Temperaturen? Moderne Waschmittel erzielen auch dann gute Ergebnisse, wenn Sie die Waschttemperaturen von 60°C auf 40°C bzw. von 40°C auf 30°C verringern. Ihr Energieverbrauch sinkt dadurch um rund **75 kWh/Jahr**. Das entspricht 21 Euro/Jahr.*



Clever investiert

- 3 Effiziente Heizungsanlage installieren:** Haben Sie schon daran gedacht, Ihre alte Heizungsanlage auszutauschen? Alte Heizungsanlagen sind – im Gegensatz zu neuen – dauerhaft in Betrieb und verbrauchen dementsprechend viel Strom. Wenn Sie eine moderne Anlage installieren lassen, können Sie etwa **530 kWh/Jahr** einsparen und geben 150 Euro/Jahr weniger aus.*
Rechnet sich meist schon in drei Jahren.



- 4 Alten Trockner ersetzen:** Nutzen Sie einen Trockner ohne Wärmepumpe? Ein konventioneller Trockner verbraucht gegenüber einem modernen energieeffizienten Trockner mit Wärmepumpe ca. **500 kWh/Jahr** mehr. Ein neuer Trockner senkt Ihre Kosten pro Jahr um **141 Euro**.*
Rechnet sich meist schon in fünf Jahren.




Entdecken Sie die Tipps, die für Sie passen, und legen Sie los

■ Im Durchschnitt ■ Nach Umsetzung des Tipps
* Jährliche Stromkosten: Berechnung auf Basis eines durchschnittlichen 4-Personen-Haushaltes (E.ON OptimalStrom @ 28 Ct/kWh, Energiemix in Deutschland 0,522 kg CO₂/kWh, weitere Annahmen: siehe rechts)
Zum Vergleich: 1 kg CO₂ entsteht, wenn man 5 km mit dem Auto fährt.
Quelle: E.ON

Tipp	Annahmen zur Nutzung	Energieverbrauch pro Nutzung
1	5 Duschgänge pro Woche, 4 Personen	Alt: 0,49 kWh, neu: 0,29 kWh
2	220 Waschgänge: (120 mal: 60°C → 40°C, 100 mal: 40°C → 30°C)	Alt: 1,05/0,57 kWh, neu: 0,57/0,37 kWh
3	1 Jahr	Alt: 596 kWh, neu: 61 kWh
4	160 Trockenzyklen	Alt: 4,32 kWh, neu: 1,19 kWh

Figure A5: SREG Letter 1, Reminder Card (Framing: Econ)



Version: Eco

Hoher Energieverbrauch im Bad & Keller? Können Sie abhaken! Ihre Checkliste:

Schnell gespart

✓



1
Sparbrause anbringen

Sparduschen gibt's in jedem Baumarkt und sie können mit wenigen Handgriffen ausgetauscht werden.





2
Waschtemperatur verringern

Einfach mal 10°C weniger einstellen.

Clever investiert



3
Effiziente Heizungspumpe installieren

Vorher vom Heizungsinstallateur beraten lassen.



4
Alten Trockner ersetzen

Kaufen Sie einen Trockner mit Wärmepumpe.

Figure A6: REG Letter 1, Cover Letter (Framing: Econ)

WEMAG

www.wemag.com

WEMAG AG - Postfach 11 04 54 - 19053 Schwerin
 <Anrede>
 <Akad.Titel><Vorname><Nachname>
 <Straße><HausNr><Zusatz>
 <PLZ><Ort>

**In vier Schritten Geld sparen:
Machen Sie Ihr Zuhause zum Energiesparheim.**

Sehr <Anrede><Nachname>,

in jedem Haushalt schlummern Möglichkeiten, Strom einzusparen. Machen Sie Ihr Zuhause jetzt zum Energiesparheim und tun Sie Ihrem Portemonnaie etwas Gutes.

Mit unseren Energiespartipps geben wir Ihnen Anregungen, wie Sie Energie sparen können. Innerhalb eines Jahres erhalten Sie dazu von uns vier Briefe, in denen wir mit Ihnen durch die zentralen Bereiche gehen: Bad & Keller, Küche, Wohnen sowie Technik & Freizeit.

Schauen Sie die Tipps durch und entscheiden Sie, was am besten zu Ihnen passt. Mit der beiliegenden Karte können Sie die wichtigsten Tipps einfach sammeln und sehen, wie sich Ihr Zuhause im Verlauf des Jahres zum Energiesparheim entwickelt. Los geht's heute mit Folge 1: Sparen im Bad & Keller.

Freundliche Grüße
Ihr Energiesparteam der WEMAG

Strom im eigenen Zuhause: Wo wird wieviel verbraucht?
Stromverbrauch eines durchschnittlichen 4-Personen-Haushalts (ohne elektrische Warmwasserbereitung)

Bereich	Anteil
Bad & Keller	30%
Küche	33%
Wohnen	18%
Technik & Freizeit	19%

Die Schritte sind wie folgt definiert:

- Folge 1:** Sparen im Bad & Keller (Hier geht's los...)
- Folge 2:** Sparen in der Küche (Hier geht's demnächst weiter...)
- Folge 3:** Sparen im Wohnzimmer
- Folge 4:** Sparen bei Technik und in der Freizeit

IHR NACHRICHT VOM

UNSER ZEICHEN

ANSPRECHPARTNER
Kundenservice

TEL
0385 . 755-2755

FAX
0385 . 755-3124

E-MAIL
wemio@wemio.de

DATUM

SEITE/UMFANG

ANLAGEN

WEMAG

HAUSADRESSE
 WEMAG AG
 Obolitenring 40
 19053 Schwerin
 Tel.: 0385 . 755-0
 Fax: 0385 . 755-3222
 E-Mail: kontakt@wemag.com
 Internet: www.wemag.com

VORSTAND
 Caspar Baumgart
 Thomas Pätzold

**VORSITZENDER DES
AUF SICHTSRATES**
 Ewald Woste

SITZ DER GESELLSCHAFT
 Schwerin

HANDELSREGISTER
 Amtsgericht Schwerin
 B 615

BANKVERBINDUNG
 Commerzbank AG
 IBAN DE73 1408 0000 0130 7444 00
 BIC COMDEFF33

Figure A7: REG Letter 1, Energy-Saving Tips (Framing: Econ)

WEMAG



Folge 1:
Sparen im Bad & Keller – Tipps und
Tricks rund um das Energiesparen

Das hat sich gewaschen: Im Bad & Keller richtig viele Euros sparen

Schnell gespart

- 1 Sparbrause anbringen:** Erzeugen Sie Warmwasser mit Strom? Dann können Sie viel Strom durch eine Spar-Duschbrause einsparen, die es in jedem Baumarkt zu kaufen gibt. Sie verringert Ihren Stromverbrauch im Jahr um ca. **1.000 kWh** und senkt Ihre Kosten dadurch um etwa **284 Euro/Jahr**.*

711 Euro

427 Euro

284 Euro
pro Jahr sparen!



- 2 Waschtemperatur verringern:** Waschen Sie mit hohen Temperaturen? Moderne Waschmittel erzielen auch dann gute Ergebnisse, wenn Sie die Waschttemperaturen von 60°C auf 40°C bzw. von 40°C auf 30°C verringern. Ihr Energieverbrauch sinkt dadurch um rund **75 kWh/Jahr**. Das entspricht **21 Euro/Jahr**.*

51 Euro

30 Euro

21 Euro
pro Jahr sparen!

Clever investiert

- 3 Effiziente Heizungspumpe installieren:** Haben Sie schon daran gedacht, Ihre alte Heizungspumpe auszutauschen? Alte Heizungspumpen sind – im Gegensatz zu neuen – dauerhaft in Betrieb und verbrauchen dementsprechend viel Strom. Wenn Sie eine moderne Pumpe installieren lassen, können Sie etwa **530 kWh/Jahr** einsparen und geben **150 Euro/Jahr** weniger aus.*

167 Euro

17 Euro

150 Euro
pro Jahr sparen!



- 4 Alten Trockner ersetzen:** Nutzen Sie einen Trockner ohne Wärmepumpe? Ein konventioneller Trockner verbraucht gegenüber einem modernen energieeffizienten Trockner mit Wärmepumpe ca. **500 kWh/Jahr** mehr. Ein neuer Trockner senkt Ihre Kosten pro Jahr um **141 Euro**.*

194 Euro

53 Euro

141 Euro
pro Jahr sparen!



Entdecken Sie die Tipps, die für Sie passen, und legen Sie los

■ Im Durchschnitt ■ Nach Umsetzung des Tipps

* Jährliche Stromkosten: Berechnung auf Basis eines durchschnittlichen 4-Personen-Haushaltes. (Strompreis @ 28 ct/kWh, weitere Annahmen: siehe rechts)

Quelle: RWI

Typ	Annahmen zur Nutzung	Energieverbrauch pro Nutzung
1	5 Duschgänge pro Woche, 4 Personen	Alt: 0,49 kWh, neu: 0,29 kWh
2	220 Waschgänge: (120 mal: 60°C → 40°C, 100 mal: 40°C → 30°C)	Alt: 1,05/0,57 kWh, neu: 0,57/0,37 kWh
3	1 Jahr	Alt: 596 kWh, neu: 51 kWh
4	160 Trocknerzyklen	Alt: 4,32 kWh, neu: 1,19 kWh

Figure A8: REG Letter 1, Energy-Saving Tips (Framing: Env)

WEMAG



Folge 1:
Sparen im Bad & Keller – Tipps und
Tricks rund um das Energiesparen

Das hat sich gewaschen: Im Bad & Keller richtig viel Strom sparen

Schnell gespart

- 1 Sparbrause anbringen:** Erzeugen Sie Warmwasser mit Strom? Dann können Sie viel Strom durch eine Spar-Duschbrause einsparen, die es in jedem Baumarkt zu kaufen gibt. Sie verringert Ihren Stromverbrauch im Jahr um ca. 1.000 kWh und vermeidet dadurch etwa 530 kg CO₂/Jahr.*

1.326 kg CO ₂ /Jahr	530 kg CO ₂ /Jahr vermeiden
796 kg CO ₂ /Jahr	
- 2 Waschtemperatur verringern:** Waschen Sie mit hohen Temperaturen? Moderne Waschmittel erzielen auch dann gute Ergebnisse, wenn Sie die Waschtemperaturen von 60°C auf 40°C bzw. von 40°C auf 30°C verringern. Ihr Energieverbrauch sinkt dadurch um rund 75 kWh/Jahr, was 41 kg CO₂/Jahr entspricht.*

96 kg CO ₂ /Jahr	41 kg CO ₂ /Jahr vermeiden
55 kg CO ₂ /Jahr	

Clever investiert

- 3 Effiziente Heizungspumpe installieren:** Haben Sie schon daran gedacht, Ihre alte Heizungspumpe auszutauschen? Alte Heizungspumpen sind – im Gegensatz zu neuen – dauerhaft in Betrieb und verbrauchen dementsprechend viel Strom. Wenn Sie eine moderne Pumpe installieren lassen, können Sie etwa 530 kWh/Jahr einsparen und vermeiden dadurch 279 kg CO₂/Jahr.*

311 kg CO ₂ /Jahr	279 kg CO ₂ /Jahr vermeiden
32 kg CO ₂ /Jahr	
- 4 Alten Trockner ersetzen:** Nutzen Sie einen Trockner ohne Wärmepumpe? Ein konventioneller Trockner verbraucht gegenüber einem modernen energieeffizienten Trockner mit Wärmepumpe ca. 500 kWh/Jahr mehr. Das entspricht 262 kg CO₂/Jahr.*

361 kg CO ₂ /Jahr	262 kg CO ₂ /Jahr vermeiden
99 kg CO ₂ /Jahr	

Entdecken Sie die Tipps, die für Sie passen, und legen Sie los

■ Im Durchschnitt ■ Nach Umsetzung des Tipps

* Jährliche CO₂-Emissionen: Berechnung auf Basis eines durchschnittlichen 4-Personen-Haushaltes. (Energemix in Deutschland 0,522 kg CO₂/kWh, weitere Annahmen: siehe rechts)

Zum Vergleich: 1 kg CO₂ entsteht, wenn man 5 km mit dem Auto fährt.

Quelle: RWI

Typ	Annahmen zur Nutzung	Energieverbrauch pro Nutzung
1	5 Duschgänge pro Woche, 4 Personen	Alt: 0,49 kWh, neu: 0,29 kWh
2	220 Waschgänge: (120 mal: 60°C → 40°C, 100 mal: 40°C → 30°C)	Alt: 1,05/0,57 kWh, neu: 0,57/0,37 kWh
3	1 Jahr	Alt: 596 kWh, neu: 61 kWh
4	160 Trockenzyklen	Alt: 4,32 kWh, neu: 1,19 kWh

Figure A9: REG Letter 1, Reminder Card (Framing: Econ)



Hoher Energieverbrauch im Bad & Keller?

Können Sie abhaken! Ihre Checkliste:

Schnell gespart

1 Sparbrause anbringen

Sparduschen gibt's in jedem Baumarkt und sie können mit wenigen Handgriffen ausgetauscht werden.

2 Waschtemperatur verringern

Einfach mal 10°C weniger einstellen.

Clever investiert

3 Effiziente Heizungsanlage installieren

Vorher vom Heizungsinstallateur beraten lassen.

4 Alten Trockner ersetzen

Kaufen Sie einen Trockner mit Wärmepumpe.

A3 Electricity-Saving Tips: Selection, Assumptions, Description

Table A2: Selection of tips for category *IT and Leisure*

Electricity-Saving Tip	Estimated Conservation Effect (from Respective Sources)						Assessment of Electricity-Saving Tip										Sources			
	Elec. savings, in kWh/annum	Elec. savings, in EUR/annum	Elec. savings, in %	Estimated elec. savings VZ-NRW in kWh/annum	Estimated elec. savings EnergieANRW, in kWh/annum	Impact	Relevance	Intelligibility	Implementation Effort	Financial Cost	SUM	RANK	Consideration in Study	Justification	e.on Energiespar-Welt Stromsparinitiative (dena) "Stromsparen einfach gemacht" Verbraucherzentrale NRW (VZ) "Wo sparen viel bringt" Stiftung Warentest 02/2013 (SW2) "Tricks der Stromjäger" Stiftung Warentest 02/2014 (SW1)					
Use energy-saving option of PC			90 (SI)	17.1		1	2	2	2	3	11	30	no	rank		x	x			
Purchase a laptop rather than a PC		29 (SW2), 22 (e.on)	72 (SW2), 50 (e.on), 70 (VZ)	634.3	39.9	1	2	3	2	2	11	30	yes	rank	x	x	x			
Standby PC / screen	65 (e.on)	14 (e.on)		54	120.3	2	3	3	2	3	15	2	yes	rank	x					
Standby printer / scanner					59.5	1	3	3	2	3	13	12	no	rank	x					
Standby DSL / router / wireless router	50 (e.on)	11 (e.on)			49.5	1	2	3	2	3	12	21	yes	rank	x					
Fridge: turn off second device	600 (SI)			209	166	3	1	3	3	3	16	1	yes	rank			x			

Note: This table presents all electricity-saving tips for the category *IT and Leisure*, the estimated savings from the respective sources and our partners Energieagentur NRW and Verbraucherzentrale NRW, as well as our qualitative assessment of the tips. We included all tips that are mentioned in one of the following sources (Columns to the very right): 1. the online portal "Energiesparwelt" of the utility e.on, which informs about electricity-saving tips (e.on), 2. the online portal "Stromsparinitiative" of the German government (URL: <https://www.stromspiegel.de/stromverbrauch-senken/>, last access: 6. April, 2020), 3. two test reports by the renowned German consumer organization Stiftung Warentest: "Tricks der Stromjäger", Stiftung Warentest 02/2014 (SW1), "Wo sparen viel bringt", Stiftung Warentest 02/2013 (SW2), and 4. an electronic leaflet by the consumer protection agency North Rhine-Westphalia "Stromsparen einfach gemacht" (VZ) (https://www.verbraucherzentrale.nrw/sites/default/files/2019-04/201904_Strom-sparen_Spartipps_Brosch%C3%BCre_VZ-NRW.pdf, last access: last access: 6. April, 2020). We make a qualitative assessment of all tips in the categories: Impact, Relevance, Intelligibility, Implementation Effort, and Financial Cost on a scale from 1 (very bad) to 3 (very good). "SUM" gives the unweighted sum of the individual scores, while "RANK" gives the rank among all saving tips. The Column "Consideration in study" shows whether the tip was included into our IL and "Justification" provides additional information on the decision to include the tip or not.

Table A3: Selection of tips for category *Bathroom and Basement*

Electricity-Saving Tip	Estimated Conservation Effect (from Respective Sources)					Assessment of Electricity-Saving Tip										Sources				
	Elec. savings, in kWh/annum	Elec. savings, in EUR/annum	Elec. savings, in %	Estimated elec. savings VZ-NRW in kWh/annum	Estimated elec. savings VZ-NRW in kWh/annum	Estimated elec. savings EnergieANRW, in kWh/annum	Impact	Relevance	Intelligibility	Implementation Effort	Financial Cost	SUM	RANK	Consideration in Study	Justification	e.on Energiespar-Welt	“Tricks der Stromjäger” Stiftung Warentest 02/2014 (SW1)	“Wo sparen viel bringt” Stiftung Warentest 02/2013 (SW2)	“Stromsparen einfach gemacht” Verbraucherzentrale NRW (VZ)	Stromspartippsinitiative (dena)
Buy economy shower head	300 (2 persons)	425 (SW2), 233 (SW1)	66 (SW2)	1219	102		3	1	3	2	3	15	2	yes	rank		x	x		x
Lower temperature of hot water tank			15% (SW1), 2% je Grad (e.on)	0			2	1	1	3	3	12	21	no	nicht mehr verwendet		x	x		
Buy instantaneous water heater rather than undersink unit			20 (VZ), 20 (e.on)	73	6		2	1	2	2	2	11	30	no	rank		x		x	x
Use time switch to turn undersink unit on and off		45 (e.on)		36.5	3		1	1	2	2	3	10	35	no	rank		x		x	x
Buy efficient heat pump	460 (SI)	144 (SW2), 90 (e.on)	74 (SW2), 80 (e.on), 60-80 (VZ)	540	45		3	2	1	1	1	11	30	yes	very high impact			x	x	x
Washing machine: reduce temperature (90 to 60°, 40 to 30°)		17 (e.on)	up to 40 (VZ, 90 to 60°)	117.6	9.8		1	3	3	3	3	14	5	yes	rank		x		x	x
Washing machine: no pre-wash where possible			10 to 30 (VZ)	0			1	1	3	2	3	11	30	no	rank				x	
Washing machine: use eco-mode			40 (e.on)	0			1	3	3	3	3	14	5	no	reduce temperature already considered		x	x		
Washing machine: replace old appliances	200 (e.on)	44 (e.on)		132	11		2	3	3	2	1	13	12	no			x	Dryer already considered		
Dryer: replace old appliance	more than 100	86 (SW2)	57 (SW2), 47 (SW1), 40-50 (e.on), 50 (VZ)	280.8	630.4	52.5	3	3	3	2	1	15	2	yes	rank		x	x	x	x
Dry-hang clothes		65 (SW1)	25% (SW1)	212	17.7		2	1	3	3	3	14	5	no	not feasible for some households		x			

Note: This table presents all electricity-saving tips for the category *Bathroom and Basement*, the estimated savings from the respective sources and our partners Energieagentur NRW and Verbraucherzentrale NRW, as well as our qualitative assessment of the tips. We included all tips that are mentioned in one of the following sources (Columns to the very right): 1. the online portal “Energiesparwelt” of the utility e.on, which informs about electricity-saving tips (e.on), 2. the online portal “Stromspareinitiative” of the German government (URL: <https://www.stromspiegel.de/stromverbrauch-senken/>, last access: 6. April, 2020), 3. two test reports by the renowned German consumer organisation Stiftung Warentest: “Tricks der Stromjäger”, Stiftung Warentest 02/2014 (SW1), “Wo sparen viel bringt”, Stiftung Warentest 02/2013 (SW2), and 4. an electronic leaflet by the consumer protection agency North Rhine-Westphalia “Stromsparen einfach gemacht” (VZ) (https://www.verbraucherzentrale.nrw/sites/default/files/2019-04/201904_Strom-sparen_Spartipps_Brosch%C3%BCre_VZ-NRW.pdf, last access: last access: 6. April, 2020). We make a qualitative assessment of all tips in the categories: Impact, Relevance, Intelligibility, Implementation Effort, and Financial Cost on a scale from 1 (very bad) to 3 (very good). “SUM” gives the unweighted sum of the individual scores, while “RANK” gives the rank among all saving tips. The Column “Consideration in study” shows whether the tip was included into our IL and “Justification” provides additional information on the decision to include the tip or not.

Table A4: Selection of tips for category *Kitchen*

Electricity-Saving Tip	Estimated Conservation Effect (from Respective Sources)				Assessment of Electricity-Saving Tip										Sources			
	Elec. savings, in kWh/annum	Elec. savings, in EUR/annum	Elec. savings, in %	Estimated elec. savings VZ-NRW in kWh/annum Estimated elec. savings VZ-NRW in kWh/annum Estimated elec. savings EnergieAgentur NRW in kWh/annum	Impact	Relevance	Intelligibility	Implementation Effort	Financial Cost	SUM	RANK	Consideration in Study	Justification		e.on EnergieSpar-Welt	“Tricks der Stromjäger” Stiftung Warentest 02/2014 (SW1)	“Wo sparen viel bringt” Stiftung Warentest 02/2013 (SW2)	“Stromsparen einfach gemacht” Verbraucherzentrale NRW (VZ)
Dish-washer: use eco-mode				143	1	2	3	3	3	13	12	yes	rank	x			x	x
Dish-washer: replace old appliance		30 EUR/yeshr (e.on)	30	140	2	2	3	2	1	12	21	no	rank	x				
Fridge: avoid very low temperatures			6 % per degree (VZ), 3 % per degree for freezer (dena)	19.2	1	3	3	2	3	13	12	yes	rank	x	x		x	x
Fridge: defrost freezer compartment			10-15 (VZ)	28	1	3	3	2	3	13	12	no	already one tip for fridge chosen	x	x		x	
Fridge: avoid heat accumulation at heat exchanger			10 (VZ)	28	1	2	1	2	3	10	35	no	rank	x			x	
Fridge: choose cool location			6 % pro Grad (SW1, VZ)	Siehe oben	1	3	3	1	3	12	21	no	rank	x	x		x	
Fridge: replace old appliance	170 (SI)	65 (SW2)	50 (SW2)	149	85	2	3	3	2	1	13	12	yes	rank	x		x	x
Cook with a lid on		50	40 (VZ)		1	2	3	3	3	13	12	no	savings cannot be quantified	x			x	x
Use steam cooker			30-60 (VZ)		1	2	3	2	3	12	21	no	savings cannot be quantified	x			x	x
Use kettle to boil water		6 (e.on)		22.995	1	3	3	3	3	14	5	yes	rank	x				x
Use air-circuit to bake		8 EUR	38 (VZ); 20 (e.on)	16.4	1	2	3	2	3	12	21	no	rank	x			x	x

Note: This table presents all electricity-saving tips for the category *Kitchen*, the estimated savings from the respective sources and our partners Energieagentur NRW and Verbraucherzentrale NRW, as well as our qualitative assessment of the tips. We included all tips that are mentioned in one of the following sources (Columns to the very right): 1. the online portal “Energiesparwelt” of the utility e.on, which informs about electricity-saving tips (e.on), 2. the online portal “Stromspareinitiative” of the German government (URL: <https://www.stromspiegel.de/stromverbrauch-senken/>, last access: 6. April, 2020), 3. two test reports by the renowned German consumer organisation Stiftung Warentest: “Tricks der Stromjäger”, Stiftung Warentest 02/2014 (SW1), “Wo sparen viel bringt”, Stiftung Warentest 02/2013 (SW2), and 4. an electronic leaflet by the consumer protection agency North Rhine-Westphalia “Stromsparen einfach gemacht” (VZ) (https://www.verbraucherzentrale.nrw/sites/default/files/2019-04/201904_Strom-sparen_Spartipps_Brosch%C3%BCre_VZ-NRW.pdf, last access: last access: 6. April, 2020). We make a qualitative assessment of all tips in the categories: Impact, Relevance, Intelligibility, Implementation Effort, and Financial Cost on a scale from 1 (very bad) to 3 (very good). “SUM” gives the unweighted sum of the individual scores, while “RANK” gives the rank among all saving tips. The Column “Consideration in study” shows whether the tip was included into our IL and “Justification” provides additional information on the decision to include the tip or not.

Table A5: Selection of tips for category *Living Room*

Electricity-Saving Tip	Estimated Conservation Effect (from Respective Sources)				Assessment of Electricity-Saving Tip								Sources			
	Elec. savings, in kWh/annum	Elec. savings, in EUR/annum	Elec. savings, in %	Estimated elec. savings VZ-NRW in kWh/m Estimated elec. savings VZ-NRW in kWh/annum Estimated elec. savings EnergieAgentur NRW, in kWh/annum	Impact	Relevance	Intelligibility	Implementation Effort	Financial Cost	SUM	RANK	Consideration in Study	Justification	e.on Energiespar-Welt Stiftung Warentest 02/2014 (SW1) "Tricks der Stromjäger" Stiftung Warentest 02/2013 (SW2) Verbraucherzentrale NRW (VZ) "Stromsparen einfach gemacht" "Wo sparen viel bringt" Stiftung Warentest 02/2013 (SW2)	x	x
TV: reduce brightness of display									0	37		no	cannot be quantified		x	x
TV: turn off quick-start function				175.2	2	1	1	3	3	12	21	no	rank		x	
Buy new energy efficient TV		25 (SW1)		131.4	2	1	3	3	1	12	21	yes	rank; wenige Investitionstipps im Bereich "Wohnen"	x		x
Standby stereo system	95 (e.on)	21 (e.on)		105.12	2	2	3	2	3	14	5	yes	rank	x		
Standby video recorder	126 (e.on)	28 (e.on)		131.4	2	2	3	2	3	14	5	no	video recorder not common any more	x		
Standby TV	83 (e.on)	18 (e.on)		6.57 175.2	2	2	3	2	3	14	5	yes	rank (combine with standby sound system)	x		
Standby sound system				8.76 148.92	2	1	3	2	3	13	12	yes	rank (combine with standby TV)	x		
Standby smartphone charger		3 (e.on)		17.52	1	2	3	2	3	12	21	no	rank	x		
Buy efficient ceiling floodlight				283	2	2	3	2	2	13	12	yes	rank		x	

Note: This table presents all electricity-saving tips for the category *Living Room*, the estimated savings from the respective sources and our partners Energieagentur NRW and Verbraucherzentrale NRW, as well as our qualitative assessment of the tips. We included all tips that are mentioned in one of the following sources (Columns to the very right): 1. the online portal "Energiesparwelt" of the utility e.on, which informs about electricity-saving tips (e.on), 2. the online portal "Stromspareninitiative" of the German government (URL: <https://www.stromspiegel.de/stromverbrauch-senken/>, last access: 6. April, 2020), 3. two test reports by the renowned German consumer organisation Stiftung Warentest: "Tricks der Stromjäger", Stiftung Warentest 02/2014 (SW1), "Wo sparen viel bringt", Stiftung Warentest 02/2013 (SW2), and 4. an electronic leaflet by the consumer protection agency North Rhine-Westphalia "Stromsparen einfach gemacht" (VZ) (https://www.verbraucherzentrale.nrw/sites/default/files/2019-04/201904_Strom-sparen_Spartipps_Brosch%C3%BCre_VZ-NRW.pdf, last access: last access: 6. April, 2020). We make a qualitative assessment of all tips in the categories: Impact, Relevance, Intelligibility, Implementation Effort, and Financial Cost on a scale from 1 (very bad) to 3 (very good). "SUM" gives the unweighted sum of the individual scores, while "RANK" gives the rank among all saving tips. The Column "Consideration in study" shows whether the tip was included into our IL and "Justification" provides additional information on the decision to include the tip or not.

Table A6: Assumptions Underlying Quantification of Electricity-Saving Tips (I)

Category	Tip	Tip Description	Cost w/o Tip (EUR/ annum)	Cost with Tip (EUR/ annum)	Savings (EUR/ annum)	Break even after ...	Assumptions wrt utilization	Assumptions wrt energy intensity per usage
Category: Bathroom & Basement								
<i>QUICK SAVINGS</i>								
Warm water	1	Install eco shower head	711	427	284	after 1 months	5 showers per week, 4 persons	before: 0.49 kWh; after: 0.29 kWh
Washing	2	Reduce temperature	51	30	21		220 wash loads (120 times: from 60° to 40°, 100 times: from 40° to 30°)	Before: 1.05/0.57 kWh, after: 0.57/0.37 kWh
<i>CLEVER INVESTMENTS</i>								
Heating	3	Install efficient heat pump	167	17	150	after 3 years	1 Jahr	Before: 569 kWh, after: 61 kWh
Dryer	4	Replace old dryer	194	53	141	after 5 years	160 Trockenzyklen	Before: 4.32 kWh, after: 1.19 kWh
Category: KITCHEN								
<i>QUICK SAVINGS</i>								
Kühlen	1	optimize fridge temperature	74	60	14		1 Jahr	Before: 266 kWh, after: 215 kWh
Dish-washing	2	Use eco-mode	104	89	15		280 rinsing cycles per year	Before: 1.33 kWh, after: 1.13 kWh
<i>CLEVER INVESTMENTS</i>								
Cooking	3	Use kettle	35	21	14	after 2 years	2 liters per day	Before: 0.17 kWh, after: 0.105 kWh
Refrigeration	4	Replace old fridge	102	42	60		after 1 year	Before: 366 kWh, after: 150 kWh

Note: This table presents the assumptions that underlie our calculations of the benefits from following the tips that we presented in the information letters. The calculations were approved by the consumer protection agency *Verbrauchszentrale NRW*. Details on the calculations can be obtained from the authors upon request. "Break even after..." gives the estimated time span until the financial savings (undiscounted) exceed the upfront investment needed to implement a tip.

Table A7: Assumptions Underlying Quantification of Electricity-Saving Tips (II)

Category	Tip	Tip Description	Cost w/o Tip (EUR/ annum)	Cost with Tip (EUR/ annum)	Savings (EUR/ annum)	Break even after ...	Assumptions wrt utilization	Assumptions wrt energy intensity per usage
Category: LIVING ROOM								
<i>QUICK SAVINGS</i>								
TV	1	Use power outlet strip	39	0	39	after 2 months	20 hours per day	Before: 139 kWh, after: 0 kWh
Stereo system	2	Do not leave stereo system in standby	27	0	27	after 3 months	20 hours per day	Before: 95 kWh, after: 0 kWh
<i>CLEVER INVESTMENTS</i>								
TV	3	Buy efficient TV	61	27	34		usage 4 hours per day	Before: 0.15 kWh, after: 0.066 kWh
Ceiling floodlight	4	Buy efficient ceiling floodlight	92	5	87	after 1 year	3 hours per day	Before: 0.3 kWh, after: 0.017 kWh
Category: IT & LEISURE								
<i>QUICK SAVINGS</i>								
Work	1	Use Master-slave socket strip	25	0	25	after 10 months	20 hours per day	Before: 89 kWh, after: 0 kWh
Secondary fridge	2	Turn off secondary fridge	29	15	14		1 day	Before: 366 kWh, after: 0 kWh
<i>CLEVER INVESTMENTS</i>								
WLAN router	3	Use time switch for WLAN-Router	29	15	14	after 7 months	1 day	Before: 366 kWh, after: 0 kWh
Laptop	4	Buy laptop rather than desktop PC	34	10	24		1 year	Before: 121 kWh, after: 34 kWh

Note: This table presents the assumptions that underlie our calculations of the benefits from following the tips that we presented in the information letters. The calculations were approved by the consumer protection agency *Verbraucherzentrale NRW*. Details on the calculations can be obtained from the authors upon request. "Break even after..." gives the estimated time span until the financial savings (undiscounted) exceed the upfront investment needed to implement a tip.

Table A8: Electricity-Saving Tips (I), English Translations


Tip Full Description of Energy-Saving Tip		
Category: BATHROOM & BASEMENT		
Warm water	1	Do you use electricity to heat up water for showering? If you do, you can save much electricity by using an eco shower head, which you can purchase in every DIY store. It reduces your electricity consumption by about 1000 kWh per year and your cost by 284 Euro per year.
Washing	2	Do you wash your clothes with low temperatures? Modern detergents also clean your clothes successfully when you reduce the washing temperature from 60 ° to 40 °C or from 40 ° to 30 °C. By doing so, your energy consumption reduces by around 75 kWh per year, which corresponds to 21 Euro per year.
Heating	3	Have you ever thought about replacing your old heating pump? Old heating pumps operate all the time and accordingly consume a lot of electricity. If you choose to install a modern pump, you can save about 530 kWh per year and reduce your expenditures by 150 Euro per year.
Drying	4	Are you using a dryer without heat pump? A conventional dryer consumes far more electricity than a modern energy efficient dryer with a heat pump, by around 500 kWh per year, which would allow you to reduce your cost by 141 Euro per year.
Category: KITCHEN		
Refrigeration	1	Is the temperature in your fridge set too low? Setting a temperature of 7° C is perfectly sufficient to keep your food fresh. Compared to setting it to 4° C, your electricity consumption reduces by about 51 kWh per annum less, which reduces your cost by 14 Euro per year.
Dish-washing	2	Do you use the eco-mode of your dish-washer? By using it, dish-washing takes slightly longer compared to using the normal program, but your electricity consumption drops by about 55 kWh per year. This adds up to 15 Euro per year.
Cooking	3	Do you boil water using a kettle or a pot? Using a kettle saves about 47 kWh per year and your cost reduce by 14 Euro per year. In addition, your water boils even faster.
Refrigeration	4	Do you own an old refrigerator? A 15 year-old fridge-freezer consumes about 215 kWh per year more than an modern energy efficient appliance, which translates into 60 Euro per year.

Table A9: Electricity-Saving Tips (II), English Translations

		Tip	Full Description of Energy-Saving Tip
Category: LIVING ROOM			
TV	1		Are you paying attention to standby losses of your multimedia devices? Some TVs with DVD players use about 140 kWh per year in standby consumption. Accordingly, you can save about 39 Euro per year if you turn off these devices with a switchable multi-socket outlet rather than leaving them in standby mode.
Stereo system	2		Do you leave an old stereo system in standby mode? In that case you can save about 95 kWh per year if you turn it off, which corresponds to a cost reduction of 27 Euro per year.
TV	3		Do you pay attention to the energy efficiency of your TV? When purchasing a new TV you can save about 125 kWh per year if you opt for an energy efficient device of the same size - which saves you about 34 Euro per year.
Ceiling flood-light	4		Using a ceiling floodlight adds to a cozy atmosphere, but can turn out to be very expensive. If you replace inefficient devices with energy efficient ones, you can reduce your electricity consumption by up to 310 kWh per year and annum, which corresponds to 87 Euro per year.
Category: IT & LEISURE			
Working	1		Do you use the opportunity to reduce standby losses? A desktop PC with a printer consumes about 90 kWh per year in standby losses. With a master-slave socket strip you can automatically switch off all devices as soon as you shut down your PC, which saves you around 25 Euro per year.
Secondary devices	2		Are you using your old fridge as a secondary device for special occasions? Pay attention not to operate cooling appliances if you do not need them. An old fridge-freezer consumes about 360 kWh per year on average, which corresponds to about 102 Euro per year.
Wireless router	3		Are you using wireless internet in your home? Wireless routers are usually working round the clock. If you switch it off during nighttime using a time switch, your electricity consumption reduces by about 53 kWh per year and you save 14 Euro per year.
Laptop	4		Are you about to purchase either a laptop or a desktop PC? With a laptop you are not only more flexible, but you also consume less electricity - about 87 kWh per year. This amount is equivalent to 24 Euro per year.

A4 Regional Distribution of SREG and REG Participants

Figure A10: Location of SREG and REG Participants



Note: Zip codes with at least one participating SREG and REG household are marked in green and blue, respectively.

A5 Further Regressions

Table A10: ATE by regional characteristic (REG)

	(1)	(1)	(1)	(1)	(1)
IL	−1.225** (0.017)	−1.226** (0.017)	−1.225** (0.017)	−1.221** (0.017)	−1.226** (0.017)
IL x Density	2.252 (10.237)				
IL x Unemployed		0.034 (0.229)			
IL x Retirees			0.038 (0.151)		
IL x PurchPower				−0.139 (0.103)	
IL x HeadForeign					−0.371 (1.111)
R ²	0.003	0.003	0.003	0.003	0.003
Number of obs.	23,294	23,294	23,294	23,294	23,294
Number of participants	8,359	8,359	8,359	8,359	8,359

Note: Standard errors are clustered at the household level, standard errors in parentheses. Outcome variables are demeaned, so that the parameter estimates on *IL* corresponds to the ATE at the mean. ***, **, * denote statistical significance at the 1%, 5% and 10% level, respectively.

Table A11: Treatment Effect on the Probability to Terminate Contract with the Utility

	SREG		REG	
	2015	2016	2015	2016
IL	−0.001 (0.002)	0.001 (0.002)	−0.000 (0.006)	0.007 (0.008)
Constant	0.076*** (0.001)	0.145*** (0.001)	0.071*** (0.004)	0.139*** (0.005)
R ²	4.76e-06	2.09e-06	2.61e-07	.0001039
Number of obs.	113,903	113,903	8,359	8,359

Note: We regress treatment status on the dummy variable that equals unity when a household has terminated its contract with the utility (for each of the outcome years 2015 and 2016). Heteroscedasticity-robust standard errors are in parentheses. ***, **, * denote statistical significance at the 1%, 5% and 10% level, respectively.

Table A12: The Effect of Targeting on the Cost-Effectiveness of IL (including Targeting based on Consumer Subgroups)

		(1) IL recipients, in %	(2) ATE of IL recip., in %	(3) Avg. abatement cost, in \$ per t
<i>Utility-Specific Targeting under the Following Policy Objectives</i>				
SREG	Max. abatement	82	−0.13	680.1
	Max. benefit (SCC: 119\$ per t CO ₂)	0	-	-
	Max. benefit (SCC: 41\$ per t CO ₂)	0	-	-
	Max. benefit (SCC: 12\$ per t CO ₂)	0	-	-
REG	Max. abatement	96	−1.4	73.1
	Max. benefit (SCC: 119\$ per t CO ₂)	62	−1.9	54.4
	Max. benefit (SCC: 41\$ per t CO ₂)	11	−3.7	28.4
	Max. benefit (SCC: 12\$ per t CO ₂)	0.1	−9.0	11.5
<i>Targeting based on the Following Consumer Subgroups</i>				
SREG	Baseline consumption ≤ median	50	−0.2	513.7
	Baseline consumption > median	50	0.0	- (no abatement)
	Baseline consumption > p75	25	0.2	-
	Baseline use > p90	10	0.6	-
	Green tariff	1	1.2	-
	Default tariff	93	−0.2	508.2
	Heating tariff	5	0.3	-
REG	Baseline consumption ≤ median	50	−0.3	307.6
	Baseline consumption > median	50	−2.1	46.7
	Baseline consumption > p75	25	−3.6	26.6
	Baseline use > p90	10	−4.3	22.5
	Green tariff	46	−0.1	1,001.2
	Default tariff	50	−1.4	67.7
	Heating tariff	3	−14.6	6.6

Note: Our calculations are based on the CATE estimates for SREG and REG from Figure 4a and 4d, respectively. To calculate abatement cost, we approximate intervention cost with 4\$ (1\$ per letter), use the average German carbon intensity of 486 g per kilowatt-hour (IEA 2015), neglect discount rates, and assume that treatment effects decrease linearly by around 20 percentage points per annum, as implied by our estimates for REG households. *ATE of IL recipients* denotes the average treatment effect and *Avg. abatement cost* denotes the average abatement cost for IL recipients in the treatment period 2015, respectively. We consider three targeting schemes: *No targeting* implies that all households receive IL, *Max. abatement* targets households whose predicted treatment effects exceed zero, and *Max. benefit* targets households whose letter cost per saved ton of CO₂ is lower than three assumed social cost of carbon (SCC) of 119, 41, and 12\$ per t CO₂. The median, top quartile (p75), and top decile (p90) of baseline electricity consumption are at 11.3, 14.5, and 19.2 kWh per day (REG) and 13.4, 17.8, and 24.5 kWh (SREG), respectively.


A6 Estimation of CATE using Random Forests

For estimation, we use the causal forest algorithm (Wager and Athey 2018) of the *grf* package (Athey et al. 2019) in R. The causal forest algorithm proceeds in three steps. First, it draws a subsample of the data and builds a “causal tree” by iteratively splitting the covariate space into distinct subsets, which results in a final partition, the so-called “leaves”. The splitting criterion minimizes the mean squared error for treatment effects, i.e. it rewards a split for finding strong heterogeneity in treatment effects. Second, in every leaf, treatment effects are estimated as the difference between treatment and control observations. As the same observations should not be used both for determining the leaves and the CATE estimates, this step is performed based on another subsample of the data. Third, the algorithm repeats the first two steps with randomly drawn subsamples of the data, which results in multiple causal trees that constitute a so-called causal forest. Conditional treatment effects $CATE(x)$ are then estimated as the average of all tree-specific treatment effects at a certain covariate value x . Furthermore, to alleviate the computational burden, the algorithm uses only a (random) subset of all variables for evaluating splits.

We follow Athey et al. (2019) who recommend to employ a large number trees when estimating standard errors and grow 4,000 trees. As the estimation of a random forest can be sensitive to the choice of some tuning parameters, such as the minimum number of observations per leaf, we determine those parameters optimally through a cross-validation, suggested by Athey et al. (2019). Cross-validation yields the following optimal parameter choices for SREG and REG, respectively:

Tuning Parameter	SREG	REG
Minimum number of obs. per leaf	1	2
Fraction of the sample used to build each tree	50%	50%
Number of variables tried for each split	9	2
Maximum imbalance of a split	0.0266	0.0033
Penalty term for imbalance of a split	0.7318	1.3319

Figure A11: Distribution of CATE Estimates and Predictions (Across Utilities)



Note: Density functions are from kernel density estimations. “Estimates” refer to the CATE estimates presented in Figure 3, which are obtained by using the Causal Forest, estimated for an utility, and the covariates of customers of that utility. “Predictions” gives the CATE predictions obtained from using the covariates of the customers of a utility, but the Causal Forest, as estimated from the other utility.

References

- Al-Ubaydli, O., List, J.A., LoRe, D., Suskind, D., 2017a. Scaling for Economists: Lessons from the Non-Adherence Problem in the Medical Literature. *Journal of Economic Perspectives* 31, 125–44.
- Al-Ubaydli, O., List, J.A., Suskind, D.L., 2017b. What Can We Learn from Experiments? Understanding the Threats to the Scalability of Experimental Results. *American Economic Review* 107, 282–86.
- Allcott, H., 2011. Social Norms and Energy Conservation. *Journal of Public Economics* 95, 1082–1095.
- Allcott, H., 2015. Site Selection Bias in Program Evaluation. *The Quarterly Journal of Economics* 130, 1117–1165.
- Allcott, H., Kessler, J.B., 2019. The Welfare Effects of Nudges: A Case Study of Energy Use Social Comparisons. *American Economic Journal: Applied Economics* 11, 236–76.
- Allcott, H., Knittel, C., 2017. Are Consumers Poorly Informed about Fuel Economy? Evidence from Two Experiments. NBER Working Papers 23076. National Bureau of Economic Research.
- Allcott, H., Mullainathan, S., 2010. Behavior and Energy Policy. *Science* 327, 1204–1205.
- Allcott, H., Rogers, T., 2014. The Short-Run and Long-Run Effects of Behavioral Interventions: Experimental Evidence from Energy Conservation. *American Economic Review* 104, 3003–3037.
- Allcott, H., Sweeney, R.L., 2017. The Role of Sales Agents in Information Disclosure: Evidence from a Field Experiment. *Management Science* 63, 21–39.
- Andor, M.A., Fels, K.M., 2018. Behavioral Economics and Energy Conservation—A Systematic Review of Non-price Interventions and Their Causal Effects. *Ecological Economics* 148, 178–210.
- Andor, M.A., Gerster, A., Peters, J., Schmidt, C.M., 2020. Social Norms and Energy Conservation Beyond the US. *Journal of Environmental Economics and Management* 103, 102351.
- Asensio, O.I., Delmas, M.A., 2015. Nonprice Incentives and Energy Conservation. *Proceedings of the National Academy of Sciences* 112, E510–E515.
- Athey, S., Imbens, G., 2016. Recursive Partitioning for Heterogeneous Causal Effects. *Proceedings of the National Academy of Sciences* 113, 7353–7360.
- Athey, S., Tibshirani, J., Wager, S., 2019. Generalized Random Forests. *Annals of Statistics* 47, 1148–1178.
- Bernedo, M., Ferraro, P.J., Price, M., 2014. The Persistent Impacts of Norm-based Messaging and their Implications for Water Conservation. *Journal of Consumer Policy* 37, 437–452.
- Bhargava, S., Manoli, D., 2015. Psychological Frictions and the Incomplete Take-Up of Social Benefits: Evidence from an IRS Field Experiment. *American Economic Review* 105, 3489–3529.
- Bolderdijk, J.W., Steg, L., Geller, E.S., Lehman, P., Postmes, T., 2013. Comparing the Effectiveness of Monetary Versus Moral Motives in Environmental Campaigning. *Nature Climate Change* 3, 413.

- Brandon, A., Ferraro, P.J., List, J.A., Metcalfe, R.D., Price, M.K., Rundhammer, F., 2017. Do the Effects of Social Nudges Persist? Theory and Evidence from 38 Natural Field Experiments. Technical Report. NBER Working Paper No. 23277.
- Buckley, P., 2020. Prices, Information and Nudges for Residential Electricity Conservation: A Meta-Analysis. *Ecological Economics* 172, 106635.
- Byrne, D.P., Nauze, A.L., Martin, L.A., 2018. Tell Me Something I Don't Already Know: Informedness and the Impact of Information Programs. *The Review of Economics and Statistics* 100, 510–527.
- Carter, S.P., Skimmyhorn, W., 2018. Can Information Change Personal Retirement Savings? Evidence from Social Security Benefits Statement Mailings, in: *AEA Papers and Proceedings*, pp. 93–97.
- Dehejia, R., Pop-Eleches, C., Samii, C., 2019. From Local to Global: External Validity in a Fertility Natural Experiment. *Journal of Business & Economic Statistics* 0, 1–27.
- Delmas, M.A., Fischlein, M., Asensio, O.I., 2013. Information Strategies and Energy Conservation Behavior: A Meta-Analysis of Experimental Studies from 1975 to 2012. *Energy Policy* 61, 729–739.
- Dolls, M., Doerrenberg, P., Peichl, A., Stichnoth, H., 2018. Do Retirement Savings Increase in Response to Information About Retirement and Expected Pensions? *Journal of Public Economics*.
- Duflo, E., Saez, E., 2003. The Role of Information and Social Interactions in Retirement Plan Decisions: Evidence from a Randomized Experiment. *The Quarterly Journal of Economics* 118, 815–842.
- Ferraro, P.J., Miranda, J.J., Price, M.K., 2011. The Persistence of Treatment Effects with Norm-Based Policy Instruments: Evidence from a Randomized Environmental Policy Experiment. *American Economic Review* 101, 318–322.
- Ferraro, P.J., Price, M.K., 2013. Using Non-Pecuniary Strategies to Influence Behavior: Evidence from a Large Scale Field Experiment. *Review of Economics and Statistics* 95, 64–73.
- Gechter, M., 2016. Generalizing the Results from Social Experiments: Theory and Evidence from Mexico and India. URL: http://www.personal.psu.edu/mdg5396/Gechter_Generalizing_Social_Experiments.pdf (accessed June 6, 2017).
- Goette, L., Leong, C., Qian, N., 2019. Motivating Household Water Conservation: A Field Experiment in Singapore. *PLOS ONE* 14, 1–15.
- Hanna, R., Mullainathan, S., Schwartzstein, J., 2014. Learning through noticing: Theory and evidence from a field experiment. *The Quarterly Journal of Economics* 129, 1311–1353.
- Hyslop, D.R., Imbens, G.W., 2001. Bias From Classical and Other Forms of Measurement Error. *Journal of Business & Economic Statistics* 19, 475–481.
- IAWG, 2016. Technical Support Document: Technical Update of the Social Cost of Carbon for Regulatory Impact Analysis. URL: https://www.epa.gov/sites/production/files/2016-12/documents/sc_co2_tsd_august_2016.pdf. U.S. Interagency Working Group on Social Cost of Greenhouse Gases.
- IEA, 2015. CO₂ Emissions from Fuel Combustion - Highlights. International Energy Agency. URL: <https://www.iea.org/publications/freepublications/publication/C02EmissionsFromFuelCombustionHighlights2015.pdf> (accessed October 28, 2016).

- Jaime Torres, M.M., Carlsson, F., 2018. Direct and Spillover Effects of a Social Information Campaign on Residential Water-Savings. *Journal of Environmental Economics and Management* 92, 222–243.
- Jalan, J., Somanathan, E., 2008. The Importance of Being Informed: Experimental Evidence on Demand for Environmental Quality. *Journal of Development Economics* 87, 14 – 28.
- Kahneman, D., Tversky, A., 1979. Prospect Theory: An Analysis of Decision under Risk. *Econometrica* 47, 263–292.
- Karlin, B., Zinger, J.F., Ford, R., 2015. The Effects of Feedback on Energy Conservation: A Meta-Analysis. *Psychological Bulletin* 141, 1205.
- Knittel, C.R., Stolper, S., 2019. Using Machine Learning to Target Treatment: The Case of Household Energy Use. National Bureau of Economic Research (NBER) Working Paper No. 26531.
- Levin, I.P., Schneider, S.L., Gaeth, G.J., 1998. All Frames are not Created Equal: A Typology and Critical Analysis of Framing Effects. *Organizational Behavior and Human Decision Processes* 76, 149–188.
- Levitt, S.D., List, J.A., 2009. Field Experiments in Economics: The Past, the Present, and the Future. *European Economic Review* 53, 1–18.
- Meager, R., 2019. Understanding the Average Impact of Microcredit Expansions: A Bayesian Hierarchical Analysis of Seven Randomized Experiments. *American Economic Journal: Applied Economics* 11, 57–91.
- microm, 2015. Socioeconomic Regional Data. Version: 1. RWI – Rheinisch–Westfälisches Institut für Wirtschaftsforschung e.V. DOI: [10.7807/microm:einwGeAl:V3](https://doi.org/10.7807/microm:einwGeAl:V3), [10.7807/microm:alq:V3](https://doi.org/10.7807/microm:alq:V3), [10.7807/microm:kaufkraft:V3](https://doi.org/10.7807/microm:kaufkraft:V3).
- Peters, J., Langbein, J., Roberts, G., 2018. Generalization in the Tropics – Development Policy, Randomized Controlled Trials, and External Validity. *The World Bank Research Observer* 33, 34–64.
- Schultz, P.W., Nolan, J.M., Cialdini, R.B., Goldstein, N.J., Griskevicius, V., 2007. The Constructive, Destructive, and Reconstructive Power of Social Norms. *Psychological Science* 18, 429–434.
- Schwartz, D., Fischhoff, B., Krishnamurti, T., Sowell, F., 2013. The Hawthorne Effect and Energy Awareness. *Proceedings of the National Academy of Sciences* 110, 15242–15246.
- Stigler, G.J., 1961. The Economics of Information. *Journal of Political Economy* 69, 213–225.
- Tiefenbeck, V., Goette, L., Degen, K., Tasic, V., Fleisch, E., Lalive, R., Staake, T., 2018. Overcoming Salience Bias: How Real-Time Feedback Fosters Resource Conservation. *Management Science* 64, 983–1476.
- Tiefenbeck, V., Staake, T., Roth, K., Sachs, O., 2013. For Better or for Worse? Empirical Evidence of Moral Licensing in a Behavioral Energy Conservation Campaign. *Energy Policy* 57, 160–171.
- Tonke, S., 2020. Imperfect Procedural Knowledge: A Field Experiment to Encourage Water Conservation doi:https://drive.google.com/file/d/1z6n_dge0JPB1GnrVMuXSoZtqeH7REuX0/view.

- Tversky, A., Kahneman, D., 1981. The Framing of Decisions and the Psychology of Choice. *Science* 211, 453–458.
- Vivalt, E., 2020. How Much Can We Generalize From Impact Evaluations? *Journal of the European Economic Association* 18. doi:[10.1093/jeea/jvaa019](https://doi.org/10.1093/jeea/jvaa019).
- Wager, S., Athey, S., 2018. Estimation and Inference of Heterogeneous Treatment Effects using Random Forests. *Journal of the American Statistical Association* 113, 1–15.
- WEC, 2016. Energy Efficiency Indicators via Enerdata, Average Electricity Consumption per Electrified Household. World Energy Council. URL: <https://www.wec-indicators.enerdata.eu/secteur.php/household-electricity-use.html> (accessed October 28, 2016).
- Wichman, C.J., 2017. Information Provision and Consumer Behavior: A Natural Experiment in Billing Frequency. *Journal of Public Economics* 152, 13–33.